



Flavonoids & Coumarins

INDOFINE CHEMICAL COMPANY, INC

121 Stryker Lane
Hillsborough, NJ 08844
Phone: 1-908-359-6778
Fax: 1 908-359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Contents

Chalcones	2
Chromones	10
Coumarins	13
Flavanones	32
Flavones	36
Isoflavones	53



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Chalcones

CAT #	Product	QTY	Price
19-677	2',2,3,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 111.5-113°C	250 mg	\$68.00
19-573	2,2',4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 109-112°C	250 mg	\$64.00
T-502	2,2',4'-TRIHIDROXYCHALCONE [26962-50-5] C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 186-188°C	250 mg	\$30.00
22-338	2,2',5'-TRIHIDROXYCHALCONE C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 198-200°C	100 mg	\$32.00
22-310	2,2'-DIHYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 182-183°C	250 mg	\$78.00
19-535	2,2'-DIHYDROXY-4',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 172.3-173.2°C	250 mg	\$64.00
D-501	2,2'-DIHYDROXYCHALCONE [15131-80-3] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 161-163°C	250 mg	\$25.00
19-676	2',3,4,5,6'-PENTAMETHOXYCHALCONE C ₂₀ H ₂₂ O ₆ MW: 358.39 MP: 146.5-148°C	250 mg	\$68.00
T-501	2',3',4'-TRIHIDROXYCHALCONE [1482-74-2] C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 169-170°C	250 mg	\$30.00
22-209	2,3-DIMETHOXY-2'-HYDROXYCHALCONE [42220-80-4] C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 101-102.8°C	1 gm	\$90.00
19-506	2',4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 118-120°C	250 mg	\$64.00
19-507	2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 80-82°C	250 mg	\$66.00
19-678	2',4,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 100-102°C	250 mg	\$60.00
19-467	2',4'-DICHLORO-3,4-DIMETHOXY-5'-FLUOROCHALCONE C ₁₇ H ₁₃ Cl ₂ FO ₃ MW: 355.20 MP: 137-138.5°C	250 mg	\$70.00
19-468	2',4'-DICHLORO-5'-FLUORO-4-METHOXYCHALCONE C ₁₆ H ₁₁ Cl ₂ FO ₂ MW: 325.17 MP: 105-106.7°C	250 mg	\$60.00
22-207	2',4'-DIHYDROXY-2,3-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 188-189°C	100 mg	\$32.00
D-505	2',4'-DIHYDROXY-2-METHOXYCHALCONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 183.8-187°C	250 mg	\$78.00
22-208	2',4'-DIHYDROXY-3,4-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 208-210°C	100 mg	\$36.00
021042	2',4'-DIHYDROXY-4',6'-DIMETHOXYCHALCONE [56798-34-6] (Flavokawain C) C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 194-195°C	10 mg	\$55.00
D-507	2',4'-DIHYDROXY-4-METHOXYCHALCONE [13351-10-5] C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 180.3-182°C	250 mg	\$25.00
D-504	2',4'-DIHYDROXYCHALCONE [1776-30-3] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 150-151°C	250 mg	\$70.00
22-302	2,4-DIMETHOXY-2'-HYDROXY-5'-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 131-133°C	250 mg	\$48.00
22-311	2,4'-DIMETHOXY-2'-HYDROXYCHALCONE (2'-Hydroxy-2,4'-dimethoxychalcone) C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 92-93°C	250 mg	\$76.00
021264	2,4-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 104-105°C	1 gm	\$96.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

26-3390	2,4-DIMETHOXY-4'-FLUOROCHALCONE MW: 286.31	-	INQUIRE
22-300	2',4'-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 77-78°C	250 mg	\$44.00
22-347	2',5'-DIHYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 178-180°C	250 mg	\$76.00
D-601	2',5'-DIHYDROXYCHALCONE [19312-13-1] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 172-174°C	50 mg	\$45.00
19-814	2,5-DIMETHOXY-2'-HYDROXY-5'-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 101-103°C	100 mg	\$54.00
22-348	2,5'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 99-100°C	250 mg	\$72.00
19-813	2,5-DIMETHOXY-2'-HYDROXYCHALCONE [32272-23-4] C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 96-98°C	100 mg	\$54.00
19-812	2,5-DIMETHOXY-5'-FLUORO-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ FO ₄ MW: 302.31 MP: 167.5-169.5°C	100 mg	\$54.00
19-376	2,6-DICHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ Cl ₂ O ₂ MW: 293.15 MP: 101-102.5°C	250 mg	\$68.00
021080	2',6'-DIHYDROXY-4,4'-DIMETHOXYCHALCONE [20621-49-2] (Gymnogrammene) C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 165°C	5 mg	\$255.00
021082	2',6'-DIHYDROXY-4,4'-DIMETHOXYDIHYDROCHALCONE [35241-54-4] (Calomelanone) C ₁₇ H ₁₈ O ₅ MW: 302.32 MP: 147°C	5 mg	\$338.00
021286	2',6'-DIHYDROXY-4-METHOXYCHALCONE-4'-O-NEOHESPERIDOSIDE C ₂₈ H ₃₄ O ₁₄ MW: 594.57 MP: 174-181°C	5 mg	\$238.00
22-366	2,6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 97-98°C	250 mg	\$72.00
19-669	2',6'-DIMETHOXY-4-FLUOROCHALCONE C ₁₇ H ₁₅ FO ₃ MW: 286.31 MP: 101-103°C	250 mg	\$60.00
19-668	2',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 124.5-126°C	250 mg	\$64.00
19-489	2-CHLORO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 127-129°C	250 mg	\$68.00
19-487	2-CHLORO-4',6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 133-135°C	250 mg	\$64.00
19-696	2'-HYDROXY-2,3,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 125-126.6°C	250 mg	\$64.00
22-214	2'-HYDROXY-2,3,4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 127.5-128.8°C	100 mg	\$38.00
22-212	2'-HYDROXY-2,3,5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 102-103°C	100 mg	\$32.00
22-372	2'-HYDROXY-2,3,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 112-114°C	250 mg	\$66.00
22-377	2'-HYDROXY-2,4,4',5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 157-160°C	50 mg	\$72.00
22-350	2'-HYDROXY-2,4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 151-152°C	250 mg	\$76.00
22-213	2'-HYDROXY-2,4,4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 156-157°C	100 mg	\$34.00
H-509	2'-HYDROXY-2,4,5,4',6'-PENTAMETHOXYCHALCONE [73694-15-2] (Rubone) C ₂₀ H ₂₂ O ₇ MW: 374.39 MP: 180-183°C	50 mg	\$45.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-378	2'-HYDROXY-2,4,5,5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 168-169°C	50 mg	\$87.00
19-835	2'-HYDROXY-2,4',5,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 173.7-175°C	100 mg	\$64.00
22-370	2'-HYDROXY-2,4,5,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 134-136°C	250 mg	\$70.00
19-817	2'-HYDROXY-2,4',5-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 106-107.7°C	100 mg	\$54.00
22-203	2'-HYDROXY-2,4,5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 117-118°C	100 mg	\$38.00
22-380	2'-HYDROXY-2,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 136-138°C	50 mg	\$79.00
19-502	2'-HYDROXY-2,4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 106-109°C	250 mg	\$64.00
22-373	2'-HYDROXY-2,4,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 121-122°C	250 mg	\$68.00
19-500	2-HYDROXY-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 187-189°C	250 mg	\$68.00
19-818	2'-HYDROXY-2,5,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 127.8-128.8°C	100 mg	\$54.00
H-503	2'-HYDROXY-2-METHOXYCHALCONE [42220-77-9] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 112-113°C	1 gm	\$90.00
22-389	2'-HYDROXY-3,3',4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 124-125°C	50 mg	\$55.00
19-435	2'-HYDROXY-3,4,4',5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 133.7-135.1°C	250 mg	\$76.00
19-438	2'-HYDROXY-3,4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 155.4-157°C	100 mg	\$36.00
22-397	2'-HYDROXY-3',4',4-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 131-132°C	50 mg	\$72.00
19-455	2'-HYDROXY-3,4,4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 160.7-162.1°C	250 mg	\$68.00
22-371	2'-HYDROXY-3,4,5,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 134-136°C	250 mg	\$78.00
19-523	2'-HYDROXY-3',4,5'-TRICHLOROCHALCONE C ₁₅ H ₉ Cl ₃ O ₂ MW: 327.60 MP: 196-197.8°C	250 mg	\$66.00
22-223	2'-HYDROXY-3,4,5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 135-136°C	100 mg	\$35.00
22-307	2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 156-158°C	250 mg	\$44.00
22-374	2'-HYDROXY-3,4,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 122-124°C	250 mg	\$66.00
22-401	2'-HYDROXY-3',4'-BENZOCHALCONE MW: 274.32 MP: 132-134°C	100 mg	\$90.00
H-504	2'-HYDROXY-3-METHOXYCHALCONE [7146-86-3] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 94-95°C	250 mg	\$25.00
19-672	2-HYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 108.7-110.7°C	250 mg	\$60.00
021043	2'-HYDROXY-4,4',6'-TRIMETHOXYCHALCONE [3420-72-2] (Flavokawain A) C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 112-114°C	100 mg	\$90.00
22-305	2'-HYDROXY-4-METHOXY-5'-METHYLCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 96-97.5°C	250 mg	\$52.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

H-506	2'-HYDROXY-4'-METHOXYCHALCONE [39273-61-5] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 107.5-109.4°C	1 gm	\$78.00
H-505	2'-HYDROXY-4'-METHOXYCHALCONE [3327-24-0] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 82-83°C	1 gm	\$84.00
H-507	2'-HYDROXY-4'-METHYLCHALCONE C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 118.8-120.4°C	1 gm	\$87.00
22-312	2'-HYDROXY-5'-METHYL-2-METHOXYCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 101-103°C	250 mg	\$80.00
22-408	2'-HYDROXY-5'-METHYL-3,4-METHYLENEDIOXYCHALCONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 115-116°C	50 mg	\$90.00
H-508	2'-HYDROXY-5'-METHYLCHALCONE C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 109-110°C	1 gm	\$90.00
19-673	2'-HYDROXY-6'-METHOXYCHALCONE [42079-68-5] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 63-65°C	250 mg	\$64.00
22-376	2'-HYDROXY-6'-METHYL-3,4-METHYLENEDIOXYCHALCONE C ₁₇ H ₁₂ O ₄ MW: 282.3 MP: 114-115°C	50 mg	\$90.00
H-014	2'-HYDROXYCHALCONE [1214-47-7] C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 88-89°C	5 gm	\$161.00
021270	2-HYDROXYCHALCONE [644-78-0] (2-Hydroxybenzylidene acetophenone) C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 150-153°C	5 gm	\$60.00
19-536	3,2'-DIHYDROXY-4,4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₆ MW: 330.34 MP: 200-201°C	250 mg	\$76.00
D-502	3,2'-DIHYDROXYCHALCONE C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 161-162°C	250 mg	\$30.00
021282S	3,4,2',4',6'-PENTAHYDROXYCHALCONE with HPLC [14917-41-0] (Eriodictyolchalcone) C ₁₅ H ₁₂ O ₆ MW: 288.26	5 mg	\$261.00
19-439	3,4,2',4',6'-PENTAMETHOXYCHALCONE C ₂₀ H ₂₂ O ₆ MW: 358.39 MP: 106-108°C	100 mg	\$40.00
22-313	3,4,2',5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 91-92°C	250 mg	\$68.00
22-303	3,4-DIMETHOXY-2'-HYDROXY-5'-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 143-145°C	250 mg	\$56.00
H-502	3',4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 96-98°C	250 mg	\$26.00
22-325	3,4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 80-81°C	250 mg	\$60.00
19-670	3,4'-DIMETHOXY-2-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 142.2-144°C	250 mg	\$64.00
H-501	3,4-DIMETHOXY-2'-HYDROXYCHALCONE [19152-36-4] C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 114-115°C	1 gm	\$84.00
26-3391	3,4-DIMETHOXY-4'-FLUOROCHALCONE [28081-14-3] C ₁₇ H ₁₅ FO ₃ MW: 286.31 MP: 92-94°C	5 gm	\$23.00
021294	3,4-DIMETHOXYCHALCONE [5416-71-7] C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 88°C	1 gm	\$102.00
19-832	3',5'-DICHLORO-2,5-DIMETHOXY-4'-HYDROXYCHALCONE C ₁₇ H ₁₄ Cl ₂ O ₄ MW: 353.2 MP: 186.5-188.5°C	100 mg	\$61.00
19-449	3',5'-DICHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₆ Cl ₂ O ₅ MW: 383.23 MP: 168.5-170°C	250 mg	\$72.00
19-433	3',5'-DICHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₂ Cl ₂ O ₃ MW: 323.18 MP: 160.3-163.3°C	250 mg	\$72.00
22-367	3,6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 84-86°C	250 mg	\$70.00



INDOFINE Chemical Company, Inc.

Phone: (908) 359-6778 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-556	3-BROMO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ BrO ₄ MW: 377.24 MP: 92-96°C	250 mg	\$80.00
19-485	3-BROMO-4',6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ BrO ₄ MW: 363.21 MP: 108-110°C	250 mg	\$66.00
19-426	3'-BROMO-5'-CHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₆ BrClO ₅ MW: 427.68 MP: 171.2-172.7°C	250 mg	\$70.00
19-425	3'-BROMO-5'-CHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₂ BrClO ₃ MW: 367.63 MP: 167-170°C	250 mg	\$64.00
19-440	3'-BROMO-5'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ BrClO ₂ MW: 337.60 MP: 144-146.2°C	250 mg	\$68.00
19-375	3'-CHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₃ MW: 288.73 MP: 139-140°C	250 mg	\$64.00
19-395	3'-CHLORO-2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 135.4-136.6°C	1 gm	\$120.00
19-394	3'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 119.5-120.4°C	1 gm	\$126.00
19-632	3'-CHLORO-4-FLUORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ ClFO ₂ MW: 276.7 MP: 159.6-161.5°C	100 mg	\$50.00
19-564	3-HYDROXY-2',4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 148-150°C	250 mg	\$60.00
22-343	3-METHOXY-4,2',5'-TRIHYDROXYCHALCONE C ₁₆ H ₁₄ O ₅ MW: 284.27 MP: 174-176°C	250 mg	\$96.00
19-505	3-NITRO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ NO ₆ MW: 343.34 MP: 148-151°C	250 mg	\$68.00
T-503	4,2',4'-TRIHYDROXYCHALCONE [961-29-5] (Isoliquiritigenin) C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 188-195°C	1 gm	\$90.00
22-314	4,2',5'-TRIHYDROXYCHALCONE C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 231-232°C	250 mg	\$70.00
22-315	4,2',5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 96-97°C	250 mg	\$74.00
19-491	4,2'-DIHYDROXY-3,4',6'-TRIMETHOXYCHALCONE [69616-74-6] C ₁₈ H ₁₈ O ₆ MW: 330.34 MP: 178-180°C	250 mg	\$62.00
19-451	4,2'-DIHYDROXY-3-METHOXY-5'-METHYLCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.31 MP: 152.5-154.4°C	250 mg	\$68.00
22-337	4,2'-DIHYDROXY-3-METHOXYCHALCONE [220430-82-0] C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 129-131°C	100 mg	\$80.00
D-503	4,2'-DIHYDROXYCHALCONE [13323-66-5] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 161-162°C	250 mg	\$28.00
22-221	4,4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 112-114°C	250 mg	\$68.00
021295	4,4'-DIMETHOXYCHALCONE [2373-89-9] C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 100.6-102.2°C	1 gm	\$99.00
19-522	4,5'-DICHLORO-2'-HYDROXY-4'-METHYLCHALCONE C ₁₆ H ₁₂ Cl ₂ O ₂ MW: 307.18 MP: 188.7-190.7°C	250 mg	\$60.00
19-521	4,5'-DICHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ Cl ₂ O ₂ MW: 293.15 MP: 190.8-192.8°C	250 mg	\$68.00
19-496	4',6'-DIMETHOXY-2'-HYDROXY-3-NITROCHALCONE C ₁₇ H ₁₅ NO ₆ MW: 329.31 MP: 153-155°C	250 mg	\$76.00
19-495	4',6'-DIMETHOXY-2'-HYDROXY-4-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 127-129°C	250 mg	\$64.00
021266	4',6'-DIMETHOXY-2'-HYDROXYCHALCONE [1775-97-9] (Flavokawain B) C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 85-87°C	10 mg	\$95.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-368	4,6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 117-119°C	250 mg	\$76.00
19-492	4',6'-DIMETHOXY-4-DIMETHYLAMINO-2'-HYDROXYCHALCONE C ₁₉ H ₂₁ NO ₄ MW: 327.38 MP: 200-204°C	250 mg	\$64.00
19-493	4',6'-DIMETHOXY-4-FLUORO-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ FO ₄ MW: 302.31 MP: 145-147°C	250 mg	\$64.00
19-483	4-BENZYLOXY-2',3,4',6'-TETRAMETHOXYCHALCONE C ₂₆ H ₂₆ O ₆ MW: 434.49 MP: 153-155°C	250 mg	\$68.00
19-482	4-BENZYLOXY-2'-HYDROXY-3,4',6'-TRIMETHOXYCHALCONE C ₂₅ H ₂₄ O ₆ MW: 420.47 MP: 129-131°C	250 mg	\$64.00
19-519	4-CHLORO-2',3',4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 101.7-103°C	250 mg	\$70.00
19-490	4-CHLORO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 128-130°C	250 mg	\$72.00
19-807	4'-CHLORO-2,5-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 75-77°C	100 mg	\$60.00
19-513	4-CHLORO-2',5'-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 83.5-85°C	250 mg	\$64.00
19-693	4-CHLORO-2',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 88.5-90.5°C	250 mg	\$60.00
19-666	4'-CHLORO-2-HYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₃ MW: 288.73 MP: 140-142°C	250 mg	\$64.00
19-517	4-CHLORO-2'-HYDROXY-5'-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 153.8-155.7°C	250 mg	\$70.00
19-516	4-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 150-151.6°C	250 mg	\$66.00
19-520	4'-CHLORO-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 121.5-123.1°C	250 mg	\$64.00
19-514	4'-CHLORO-3,4-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 106.4-107.7°C	250 mg	\$68.00
19-488	4-CHLORO-4',6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 167-168°C	250 mg	\$70.00
26-2813	4-CHLORO-4'-FLUOROCHALCONE C ₁₅ H ₁₀ ClFO MW: 260.70 MP: 136-137°C	1 gm	\$175.00
19-518	4'-CHLORO-4-METHOXYCHALCONE [6552-63-2] C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 122.3-124°C	250 mg	\$60.00
19-515	4-CHLORO-5'-FLUORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ ClFO ₂ MW: 276.70 MP: 177-178.7°C	250 mg	\$60.00
23-003	4'-CHLOROCHALCONE [956-02-5] C ₁₅ H ₁₁ ClO MW: 242.71 MP: 97-98°C	5 gm	\$26.00
23-002	4-CHLOROCHALCONE [956-04-7] C ₁₅ H ₁₁ ClO MW: 242.71 MP: 114-115.6°C	5 gm	\$29.00
021252	4-DEOXYPHLORIDZIN C ₂₁ H ₂₄ O ₉ MW: 420.41 MP: 134-136°C	10 mg	\$239.00
19-497	4-DIMETHYLAMINO-2',4',6'-TRIMETHOXYCHALCONE C ₂₁ H ₂₃ NO ₄ MW: 341.41 MP: 153-155°C	250 mg	\$64.00
19-498	4-FLUORO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ FO ₄ MW: 316.33 MP: 118-120°C	250 mg	\$66.00
19-565	4-HYDROXY-2',3,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 132-136°C	250 mg	\$64.00
19-836	4'-HYDROXY-2,3',5,5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 134.2-137°C	100 mg	\$58.00
19-566	4-HYDROXY-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 196-198°C	250 mg	\$60.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-454	4'-HYDROXY-2'-METHYL-3,4,5-TRIMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 176.4-177.6°C	250 mg	\$76.00
19-453	4'-HYDROXY-4-METHOXY-2'-METHYLCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 150.6-152.2°C	250 mg	\$72.00
021273	4'-HYDROXYCHALCONE [2657-25-2] C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 177-179°C	5 gm	\$68.00
021272	4-HYDROXYCHALCONE [20426-12-4] (4-Hydroxybenzylidene acetophenone) C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 184-186°C	5 gm	\$62.00
021274	4-ISOPROPYL-4'-METHYLCHALCONE C ₁₉ H ₂₀ O MW: 264.37 MP: 71.7-73.5°C	100 mg	\$106.00
19-436	4-METHOXY-4'-(METHYLTHIO)CHALCONE C ₁₇ H ₁₆ O ₂ S MW: 284.38 MP: 132.6-134°C	250 mg	\$72.00
021217	4'-METHOXYCHALCONE [959-23-9] C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 105.2-106.7°C	10 gm	\$131.00
021216	4-METHOXYCHALCONE [959-33-1] C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 74.6-76°C	1 gm	\$146.00
19-504	4-METHYL-2',4',6'-TRIMETHOXYCHALCONE C ₁₉ H ₂₀ O ₄ MW: 312.37 MP: 122-124°C	250 mg	\$64.00
19-437	4'-METHYL-3,4,5-TRIMETHOXYCHALCONE C ₁₉ H ₂₀ O ₄ MW: 312.37 MP: 106-108°C	250 mg	\$78.00
19-484	5-BROMO-2,2'-DIHYDROXY-4',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₅ BrO ₅ MW: 379.21 MP: 170-173°C	250 mg	\$72.00
19-830	5'-BROMO-2,5-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ BrO ₄ MW: 363.21 MP: 127-128.2°C	100 mg	\$54.00
19-486	5-BROMO-2-HYDROXY-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ BrO ₅ MW: 393.24 MP: 207-209°C	250 mg	\$70.00
19-427	5'-BROMO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ BrO ₅ MW: 393.24 MP: 169.3-171.6°C	250 mg	\$72.00
19-445	5'-BROMO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₃ BrO ₃ MW: 333.18 MP: 118-120°C	250 mg	\$68.00
19-389	5'-BROMO-3,4-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ BrO ₄ MW: 363.21 MP: 173.1-174.6°C	250 mg	\$64.00
19-806	5'-BROMO-3'-CHLORO-2,5-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₄ BrClO ₄ MW: 397.66 MP: 160-161.6°C	100 mg	\$54.00
19-443	5'-BROMO-3'-CHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₆ BrClO ₅ MW: 427.68 MP: 173.5-175°C	250 mg	\$80.00
19-442	5'-BROMO-3'-CHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₂ BrClO ₃ MW: 367.63 MP: 155.4-157.2°C	250 mg	\$76.00
19-441	5'-BROMO-3'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ BrClO ₂ MW: 337.60 MP: 148-149.6°C	250 mg	\$72.00
19-444	5'-BROMO-4,2'-DIHYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₃ BrO ₄ MW: 349.18 MP: 172-173.3°C	250 mg	\$68.00
19-512	5'-BROMO-4-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ BrClO ₂ MW: 337.60 MP: 186.6-188.1°C	250 mg	\$70.00
19-809	5'-CHLORO-2,5-DIMETHOXY-2'-HYDROXY-4-METHYLCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 153.4-154.4°C	100 mg	\$54.00
19-808	5'-CHLORO-2,5-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 133.5-135°C	100 mg	\$58.00
19-432	5'-CHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₅ MW: 348.79 MP: 173.8-176.1°C	250 mg	\$62.00
19-430	5'-CHLORO-2'-HYDROXY-4-METHOXY-4'-METHYLCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 180.3-183°C	250 mg	\$78.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-429	5'-CHLORO-2'-HYDROXY-4'-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₃ MW: 288.73 MP: 109.4-110.7°C	250 mg	\$76.00
19-448	5'-CHLORO-2'-HYDROXY-4'-METHYL-3,4,5-TRIMETHOXYCHALCONE C ₁₉ H ₁₉ ClO ₅ MW: 362.81 MP: 147.2-149°C	250 mg	\$76.00
19-431	5'-CHLORO-2'-HYDROXY-4'-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 142.3-143.8°C	250 mg	\$80.00
19-396	5'-CHLORO-2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 130.8-132.4°C	1 gm	\$114.00
22-384	5'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 109-110°C	100 mg	\$76.00
19-393	5'-CHLORO-3,4-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 174.6-175.6°C	250 mg	\$64.00
19-462	5'-CHLORO-4,2'-DIHYDROXY-3-METHOXY-4'-METHYLCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 202.5-204.8°C	250 mg	\$66.00
19-447	5'-CHLORO-4,2'-DIHYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₄ MW: 304.73 MP: 169.5-170.8°C	250 mg	\$68.00
19-434	5'-FLUORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₃ FO ₃ MW: 272.28 MP: 125.6-127.4°C	250 mg	\$70.00
26-3619	5'-FLUORO-2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₃ FO ₂ MW: 256.28 MP: 147-149°C	250 mg	\$90.00
021103S	BUTEIN with HPLC [487-52-5] (3,4,2',4'-Tetrahydroxychalcone) C ₁₅ H ₁₂ O ₅ MW: 272.26 MP: 215-216°C	10 mg	\$285.00
021041	CHALCONE [94-41-7] (Benzylideneacetophenone, 1,3-Diphenyl-2-propen-1-one) C ₁₅ H ₁₂ O MW: 208.26 MP: 59.5-61°C	10 gm	\$50.00
021117S	HOMOBUTEIN with HPLC [34000-39-0] (2',4,4'-Trihydroxy-3-methoxychalcone) C ₁₆ H ₁₄ O ₅ MW: 286.29 MP: 207-212°C	10 mg	\$217.00
020059S	MAREIN with HPLC [535-96-6] (Okanin-4'-O-glucoside; 2',3,3',4,4'-Pentahydroxy-4'-glucosylchalcone) C ₂₁ H ₂₂ O ₁₁ MW: 450.39 MP: 197-202°C	5 mg	\$242.00
06-021	NARINGIN DIHYDROCHALCONE [18916-17-1] C ₂₇ H ₃₄ O ₁₄ MW: 582.56 MP: 152-154°C	100 gm	\$90.00
021231	NEOHESPERIDIN DIHYDROCHALCONE [20702-77-6] C ₂₈ H ₃₆ O ₁₅ MW: 612.57 MP: 107°C (d)	10 gm	\$83.00
021044	PHLORETIN [60-82-2] (4,2',4',6'-Tetrahydroxydihydrochalcone) C ₁₅ H ₁₄ O ₅ MW: 274.26 MP: 257-261°C	250 mg	\$195.00
021046	PHLORIDZIN with HPLC [60-81-1] (Phloretin-2'-O-glucoside) C ₂₁ H ₂₄ O ₁₀ MW: 436.41 MP: 110-120°C	20 mg	\$176.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Chromones

CAT #	Product	QTY	Price
19-144	3,6-DIBROMOCHROMONE C ₉ H ₄ Br ₂ O ₂ MW: 303.94 MP: 142-144°C	1 gm	\$38.00
19-542	3,6-DIMETHYLCHROMONE C ₁₁ H ₁₀ O ₂ MW: 174.20 MP: 59.8-61.2°C	1 gm	\$96.00
19-142	3-BROMO-6,8-DICHLOROCHROMONE C ₉ H ₃ BrCl ₂ O ₂ MW: 293.93 MP: 146-147°C	1 gm	\$84.00
19-141	3-BROMO-6-CHLORO-7-METHYLCHROMONE C ₁₀ H ₆ BrClO ₂ MW: 273.51 MP: 171-173°C	1 gm	\$84.00
17-213	3-BROMO-6-CHLOROCHROMONE C ₉ H ₄ BrClO ₂ MW: 259.48 MP: 129-130°C	250 mg	\$30.00
19-400	3-BROMO-6-FLUOROCHROMONE [179111-05-8] C ₉ H ₄ BrFO ₂ MW: 243.03 MP: 131.3-133°C	250 mg	\$56.00
17-212	3-BROMOCHROMONE [49619-82-1] C ₉ H ₅ BrO ₂ MW: 225.05 MP: 94-96°C	250 mg	\$20.00
26-3059	3-CYANO-6-FLUOROCHROMONE MW: 189.15	1 gm	\$25.00
17-089	3-CYANO-6-METHYLCHROMONE [50743-18-5] C ₁₁ H ₇ NO ₂ MW: 185.18 MP: 151-153°C	1 gm	\$32.00
17-079	3-CYANOCHROMONE [50743-17-4] (Chromone-3-carbonitrile) C ₁₀ H ₅ NO ₂ MW: 171.16 MP: 174-176°C	1 gm	\$28.00
19-712	3-FORMYL-5-METHOXYCHROMONE (5-Methoxy-3-formylchromone) C ₁₁ H ₈ O ₄ MW: 204.18 MP: 137.5-139.1°C	250 mg	\$80.00
17-159	3-FORMYL-6-ISOPROPYLCHROMONE [49619-58-1] C ₁₃ H ₁₂ O ₃ MW: 216.23 MP: 98-100°C	5 gm	\$120.00
19-177	3-FORMYL-6-METHOXYCHROMONE [42059-79-0] (6-Methoxy-3-formylchromone) C ₁₁ H ₈ O ₂ MW: 204.18 MP: 163.5-166°C	1 gm	\$60.00
17-130	3-FORMYL-6-METHYLCHROMONE [42059-81-4] C ₁₁ H ₈ O ₃ MW: 188.18 MP: 172-173°C	1 gm	\$22.00
19-723	3-FORMYL-7-METHOXYCHROMONE [42059-56-3] (7-Methoxy-3-formylchromone) C ₁₁ H ₈ O ₄ MW: 204.18 MP: 189-191.5°C	100 mg	\$120.00
19-745	3-FORMYL-8-METHOXYCHROMONE C ₁₁ H ₈ O ₄ MW: 204.18 MP: 174.8-177.2°C	100 mg	\$105.00
17-128	3-FORMYLCHROMONE [17422-74-1] (Chromone-3-carboxaldehyde) C ₁₀ H ₆ O ₃ MW: 174.16 MP: 151-152.3°C	1 gm	\$24.00
17-076	4-CHROMANONE [491-37-2] C ₉ H ₈ O ₂ MW: 148.16 MP: 38-40°C	25 gm	\$88.00
19-309	6,7-DIMETHOXY-3-ISOCHROMANONE C ₁₁ H ₁₂ O ₄ MW: 208.21 MP: 105-106.5°C	250 mg	\$60.00
17-093	6,8-DIBROMO-3-FORMYLCHROMONE [76743-82-3] C ₁₀ H ₄ Br ₂ O ₃ MW: 331.96 MP: 174-176°C	5 gm	\$85.00
17-107	6,8-DICHLORO-3-FORMYLCHROMONE [64481-10-3] C ₁₀ H ₄ Cl ₂ O ₃ MW: 243.05 MP: 170.4-172.5°C	1 gm	\$32.00
19-145	6,8-DICHLOROCHROMONE C ₉ H ₄ Cl ₂ O ₂ MW: 215.04 MP: 126-128°C	1 gm	\$84.00
17-025	6-BROMO-3-FORMYLCHROMONE [52817-12-6] (6-Bromo-4-oxo-4H-1-benzopyran-3-carboxaldehyde, 6-Bromo-4-oxo-4H-chromene-3-	250 mg	\$22.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

	carbaldehyde) C ₁₀ H ₅ BrO ₃ MW: 253.05 MP: 190-191.5°C		
17-020	6-BROMOCHROMONE [51483-92-2] C ₉ H ₅ BrO ₂ MW: 225.05 MP: 135-139°C	250 mg	\$22.00
17-021	6-BROMOCHROMONE-2-CARBOXYLIC ACID [51484-06-1] C ₁₀ H ₅ BrO ₄ MW: 269.05 MP: 270-271°C (d)	250 mg	\$24.00
19-187	6-CHLORO-3,8-DIBROMOCHROMONE C ₉ H ₃ Br ₂ ClO ₂ MW: 338.38 MP: 151-152°C	1 gm	\$108.00
17-047	6-CHLORO-3-CYANO-7-METHYLCHROMONE C ₁₁ H ₆ ClNO ₂ MW: 219.63 MP: 229-231°C	250 mg	\$22.00
19-089	6-CHLORO-3-FORMYL-7-METHYLCHROMONE [64481-12-5] C ₁₁ H ₇ ClO ₃ MW: 222.63 MP: 181.4-183.3°C	1 gm	\$90.00
17-051	6-CHLORO-3-FORMYLCHROMONE [42248-31-7] C ₁₀ H ₅ ClO ₃ MW: 208.60 MP: 166-168°C	250 mg	\$18.00
17-037	6-CHLORO-4-CHROMANONE [37674-72-9] C ₉ H ₇ ClO ₂ MW: 182.61 MP: 102-105°C	5 gm	\$105.00
19-463	6-CHLORO-5-METHYLCHROMANONE C ₁₀ H ₉ ClO ₂ MW: 196.64 MP: 77.6-79.7°C	250 mg	\$52.00
17-067	6-CHLORO-7-METHYLCHROMANONE C ₁₀ H ₉ ClO ₂ MW: 196.64 MP: 95.7-97°C	5 gm	\$128.00
17-185	6-CHLORO-7-METHYLCHROMONE [67029-84-9] C ₁₀ H ₇ ClO ₂ MW: 194.62 MP: 170-171°C	1 gm	\$28.00
17-068	6-CHLORO-7-METHYLCHROMONE-2-CARBOXYLIC ACID C ₁₁ H ₇ ClO ₄ MW: 238.63 MP: 241-244°C	1 gm	\$32.00
17-039	6-CHLOROCHROMONE [33533-99-2] C ₉ H ₅ ClO ₂ MW: 180.59 MP: 136-138°C	1 gm	\$18.00
19-655	6-CHLOROTHIOCHROMANONE C ₉ H ₇ ClOS MW: 198.67 MP: 66-68°C	250 mg	\$64.00
19-743	6-ETHYL-3-FORMYLCHROMONE [42059-78-9] C ₁₂ H ₁₀ O ₃ MW: 202.21 MP: 107.8-110.2°C	1 gm	\$30.00
19-406	6-FLUORO-3-FORMYLCHROMONE C ₁₀ H ₅ FO ₃ MW: 192.15 MP: 157-158°C	1 gm	\$96.00
19-405	6-FLUOROCHROMONE [105300-38-7] C ₉ H ₅ FO ₂ MW: 164.14 MP: 166.5-168.5°C	1 gm	\$90.00
19-532	6-METHOXYCHROMANONE [5802-17-5] (6-Methoxy-4-chromanone) C ₁₀ H ₁₀ O ₃ MW: 178.19 MP: 48-49°C	1 gm	\$126.00
19-533	6-METHOXYCHROMONE C ₁₀ H ₈ O ₃ MW: 176.17 MP: 93-94.6°C	1 gm	\$120.00
17-209	6-METHYLCHROMANONE C ₁₀ H ₁₀ O ₂ MW: 162.19 MP: 34-36°C	5 gm	\$98.00
19-147	6-METHYLCHROMONE C ₁₀ H ₈ O ₂ MW: 160.17 MP: 88-89°C	1 gm	\$24.00
17-148	6-METHYLCHROMONE-2-CARBOXYLIC ACID [5006-44-0] C ₁₁ H ₈ O ₄ MW: 204.19 MP: 266-267°C (d)	1 gm	\$28.00
19-658	6-METHYLTHIOCHROMANONE C ₁₀ H ₁₀ OS MW: 178.25 MP: 40-42°C	250 mg	\$64.00
19-480	6-NITROCHROMANONE [68043-53-8] (6-Nitrochroman-4-one) C ₉ H ₇ NO ₄ MW: 193.16 MP: 175-177°C	5 gm	\$42.00
19-738	7-ACETOXY-3-FORMYLCHROMONE [42059-49-4] C ₁₂ H ₈ O ₅ MW: 232.19 MP: 156-158°C	250 mg	\$64.00
19-867	7-BROMO-4-CHROMANONE [18442-22-3] C ₉ H ₇ BrO ₂ MW: 227.06 MP: 100-101°C	250 mg	\$70.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-339	7-CHLORO-3-FORMYLCHROMONE C ₁₀ H ₅ ClO ₃ MW: 208.60 MP: 188.6-190.5°C	250 mg	\$50.00
19-420	7-CHLOROCHROMONE-3-SULFONYLCHLORIDE C ₉ H ₄ Cl ₂ O ₄ S MW: 279.10 MP: 176.8-178.4°C	25 mg	\$98.00
19-869	7-HYDROXYCHROMANONE [5631-67-4] (7-Hydroxy-3,4-dihydro-2H-1-benzopyran-2-one) C ₉ H ₈ O ₃ MW: 164.16 MP: 143-145°C	250 mg	\$90.00
19-870	7-METHOXYCHROMANONE C ₁₀ H ₁₀ O ₃ MW: 178.19 MP: 55-58°C	250 mg	\$84.00
19-181	8-BROMO-6-CHLORO-3-FORMYLCHROMONE C ₁₀ H ₄ BrClO ₃ MW: 287.49 MP: 170.5-171.5°C	1 gm	\$105.00
19-178	8-BROMO-6-CHLOROCHROMONE C ₉ H ₄ BrClO ₂ MW: 259.48 MP: 153.6-154.5°C	1 gm	\$108.00
17-077	CHROMONE [491-38-3] C ₉ H ₆ O ₂ MW: 146.15 MP: 55-58°C	1 gm	\$18.00
17-078	CHROMONE-2-CARBOXYLIC ACID [4940-39-0] C ₁₀ H ₆ O ₄ MW: 190.15 MP: 260°C (d)	1 gm	\$16.00
23-001	CHROMONE-3-CARBOXYLIC ACID [39079-62-4] C ₁₀ H ₆ O ₄ MW: 190.15 MP: 200-202°C	1 gm	\$88.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Coumarins

CAT #	Product	QTY	Price
19-849	(7-METHOXYCOUMARIN-4-YL)-ACETIC ACID [62935-72-2] (MV+CA-OH) C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 193-194°C	1 gm	\$96.00
19-093	3(2',4'-DICHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 211-212°C	1 gm	\$96.00
19-202	3(2',4'-DICHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 174.5-176°C	1 gm	\$117.00
19-099	3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 132-133°C	1 gm	\$96.00
19-369	3(2',4'-DICHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 233.6-236°C	250 mg	\$68.00
19-094	3(2',4'-DICHLOROPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₃ MW: 349.22 MP: 192-193°C	1 gm	\$90.00
19-096	3(2',4'-DICHLOROPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.17 MP: 246-247°C	1 gm	\$102.00
19-098	3(2',4'-DICHLOROPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 161-162°C	1 gm	\$90.00
19-469	3(2',4'-DICHLOROPHENYL)-7-DIETHYLAMINOCUMARIN C ₁₉ H ₁₇ Cl ₂ NO ₂ MW: 362.26 MP: 117.6-119.3°C	250 mg	\$68.00
19-135	3(2',4'-DICHLOROPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₃ MW: 349.22 MP: 189-191°C	1 gm	\$90.00
19-136	3(2',4'-DICHLOROPHENYL)-7-ETHOXY-4-PHENYLCOUMARIN C ₂₈ H ₁₆ Cl ₂ O ₃ MW: 411.29 MP: 164-167°C	1 gm	\$96.00
19-134	3(2',4'-DICHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 154-155°C	1 gm	\$102.00
19-137	3(2',4'-DICHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.17 MP: 238-240°C	1 gm	\$93.00
19-097	3(2',4'-DICHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₃ MW: 383.23 MP: 263-265°C	1 gm	\$96.00
19-095	3(2',4'-DICHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₈ Cl ₂ O ₃ MW: 307.14 MP: 256-258°C	1 gm	\$108.00
19-139	3(2',4'-DICHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 159-161°C	1 gm	\$96.00
19-140	3(2',4'-DICHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₃ MW: 397.26 MP: 175-177°C	1 gm	\$102.00
19-138	3(2',4'-DICHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.17 MP: 160-161°C	1 gm	\$90.00
19-092	3(2',4'-DICHLOROPHENYL)COUMARIN C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 185-187°C	1 gm	\$84.00
19-026	3-(2-BENZOTHAZOLYL)-6-METHOXYCOUMARIN C ₁₇ H ₁₁ NO ₃ S MW: 309.36 MP: 219-220°C	1 gm	\$96.00
19-025	3-(2-BENZOTHAZOLYL)COUMARIN C ₁₆ H ₉ N O ₂ S MW: 279.33 MP: 216-217°C	1 gm	\$90.00
19-123	3(2'-CHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 161-164°C	1 gm	\$90.00
19-133	3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 108-111°C	1 gm	\$96.00
19-121	3(2'-CHLOROPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 175-178°C	1 gm	\$84.00
19-464	3(2'-CHLOROPHENYL)-7-DIETHYLAMINOCUMARIN C ₁₉ H ₁₈ ClNO ₂ MW: 327.81 MP: 118.6-120.2°C	250 mg	\$68.00



INDOFINE Chemical Company, Inc.

Phone: (908) 359-6778 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-125	3(2'-CHLOROPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 141-143°C	1 gm	\$90.00
19-126	3(2'-CHLOROPHENYL)-7-ETHOXY-4-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 166-167°C	1 gm	\$96.00
19-124	3(2'-CHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 131-133°C	1 gm	\$96.00
19-128	3(2'-CHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 242-245°C	1 gm	\$96.00
19-129	3(2'-CHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₃ MW: 348.78 MP: 274-277°C	1 gm	\$102.00
19-127	3(2'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ ClO ₃ MW: 272.69 MP: 240-243°C	1 gm	\$90.00
19-131	3(2'-CHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 136-137°C	1 gm	\$102.00
19-132	3(2'-CHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 155-157°C	1 gm	\$102.00
19-130	3(2'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 140-142°C	1 gm	\$96.00
19-120	3(2'-CHLOROPHENYL)COUMARIN C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 138-140°C	1 gm	\$66.00
19-271	3(3',4'-DIMETHOXYPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 191.5-192.5°C	250 mg	\$84.00
19-272	3(3',4'-DIMETHOXYPHENYL)-4-7-DIMETHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 152.5-153.8°C	250 mg	\$80.00
19-276	3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 163.8-165°C	250 mg	\$78.00
19-273	3(3',4'-DIMETHOXYPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₂₀ H ₂₀ O ₅ MW: 340.38 MP: 172.8-174.1°C	250 mg	\$90.00
19-285	3(3',4'-DIMETHOXYPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 245.8-247.8°C	250 mg	\$64.00
19-288	3(3',4'-DIMETHOXYPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₅ MW: 326.35 MP: 156.5-157.9°C	250 mg	\$60.00
19-291	3(3',4'-DIMETHOXYPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₄ MW: 372.42 MP: 158-159.1°C	250 mg	\$72.00
19-286	3(3',4'-DIMETHOXYPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 270.6-273°C	250 mg	\$68.00
19-287	3(3',4'-DIMETHOXYPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₅ MW: 374.40 MP: 238.7-240.4°C	250 mg	\$64.00
19-274	3(3',4'-DIMETHOXYPHENYL)-7-HYDROXYCOUMARIN C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 224.8-226.3°C	250 mg	\$76.00
19-289	3(3',4'-DIMETHOXYPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₅ MW: 326.35 MP: 180.5-181.8°C	250 mg	\$80.00
19-290	3(3',4'-DIMETHOXYPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₅ MW: 388.42 MP: 147.2-148.4°C	250 mg	\$76.00
19-275	3(3',4'-DIMETHOXYPHENYL)-7-METHOXYCOUMARIN C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 168.3-169.7°C	250 mg	\$80.00
19-292	3(3',4'-DIMETHOXYPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₄ MW: 372.42 MP: 154.4-156°C	250 mg	\$80.00
19-284	3(3',4'-DIMETHOXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 129.6-130.8°C	250 mg	\$60.00
19-361	3(3'-BROMOPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ BrO ₂ MW: 329.20 MP: 161.6-163.1°C	250 mg	\$50.00
19-338	3(3'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 158.3-160°C	250 mg	\$48.00



INDOFINE Chemical Company, Inc.

Phone: (908) 359-6778 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-368	3(3'-BROMOPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₃ BrO ₂ MW: 377.24 MP: 208-215°C	250 mg	\$68.00
19-360	3(3'-BROMOPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 180.3-181.9°C	250 mg	\$60.00
19-321	3(3'-BROMOPHENYL)-6-CHLORO-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₂ MW: 363.64 MP: 189-190°C	250 mg	\$60.00
19-336	3(3'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 182.6-184.1°C	250 mg	\$50.00
19-366	3(3'-BROMOPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 204-205.8°C	250 mg	\$60.00
19-460	3(3'-BROMOPHENYL)-7-DIETHYLAMINOCOUMARIN C ₁₉ H ₁₈ BrNO ₂ MW: 372.26 MP: 137.8-139.8°C	250 mg	\$60.00
19-363	3(3'-BROMOPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 272-274°C	250 mg	\$56.00
19-362	3(3'-BROMOPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ BrO ₃ MW: 317.14 MP: 232.3-234°C	250 mg	\$50.00
19-365	3(3'-BROMOPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.20 MP: 149.2-150.8°C	250 mg	\$52.00
19-364	3(3'-BROMOPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 162.5-163.6°C	250 mg	\$50.00
19-367	3(3'-BROMOPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 204.3-206.8°C	250 mg	\$64.00
19-337	3(3'-BROMOPHENYL)COUMARIN C ₁₅ H ₉ BrO ₂ MW: 301.14 MP: 180.5-181.6°C	250 mg	\$52.00
19-173	3(3'-CHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 160-161°C	1 gm	\$66.00
19-174	3(3'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 134-135°C	1 gm	\$84.00
19-175	3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 146-148°C	1 gm	\$78.00
19-172	3(3'-CHLOROPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 163-164°C	1 gm	\$72.00
19-189	3(3'-CHLOROPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 175-176°C	1 gm	\$99.00
19-192	3(3'-CHLOROPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 289-292°C	1 gm	\$120.00
19-196	3(3'-CHLOROPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 183.5-184.4°C	1 gm	\$102.00
19-199	3(3'-CHLOROPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₂ MW: 346.81 MP: 200.3-201.5°C	1 gm	\$93.00
19-465	3(3'-CHLOROPHENYL)-7-DIETHYLAMINOCOUMARIN C ₁₉ H ₁₈ ClNO ₂ MW: 327.81 MP: 141.5-143.1°C	250 mg	\$64.00
19-190	3(3'-CHLOROPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 153-154.2°C	1 gm	\$111.00
19-188	3(3'-CHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 169-170°C	1 gm	\$117.00
19-193	3(3'-CHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 264-265.5°C	1 gm	\$105.00
19-194	3(3'-CHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₃ MW: 348.78 MP: 308-309.5°C	1 gm	\$90.00
19-191	3(3'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ ClO ₃ MW: 272.69 MP: 257-258°C	1 gm	\$93.00
19-197	3(3'-CHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 162.5-163.5°C	1 gm	\$117.00



INDOFINE Chemical Company, Inc.

Phone: (908) 359-6778 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-198	3(3'-CHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 167-168°C	1 gm	\$108.00
19-195	3(3'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 157.5-159°C	1 gm	\$90.00
19-200	3(3'-CHLOROPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₂ MW: 346.81 MP: 208.5-219.5°C	1 gm	\$120.00
19-171	3(3'-CHLOROPHENYL)COUMARIN C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 179-180°C	1 gm	\$66.00
19-218	3(4'-BROMOPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ BrO ₂ MW: 329.19 MP: 155-157°C	1 gm	\$126.00
19-219	3(4'-BROMOPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₃ BrO ₂ MW: 329.19 MP: 186-188°C	1 gm	\$120.00
19-222	3(4'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 158-160°C	1 gm	\$126.00
19-006	3(4'-BROMOPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 232-233°C	1 gm	\$84.00
19-390	3(4'-BROMOPHENYL)-6-CHLORO-4,5,7-TRIMETHYLCOUMARIN C ₁₈ H ₁₄ BrClO ₂ MW: 377.67 MP: 167.4-169.1°C	250 mg	\$70.00
19-004	3(4'-BROMOPHENYL)-6-CHLORO-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₂ MW: 363.63 MP: 192-193°C	1 gm	\$90.00
19-005	3(4'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 185-186°C	1 gm	\$90.00
19-217	3(4'-BROMOPHENYL)-6-CHLORO-4-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 204-206°C	1 gm	\$108.00
19-216	3(4'-BROMOPHENYL)-6-CHLORO-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₄ BrClO ₂ MW: 425.70 MP: 211-213°C	1 gm	\$120.00
19-241	3(4'-BROMOPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ BrO ₃ MW: 359.22 MP: 161-162.5°C	250 mg	\$164.00
19-245	3(4'-BROMOPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 268.5-270°C	250 mg	\$128.00
19-247	3(4'-BROMOPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 180-182°C	250 mg	\$120.00
19-008	3(4'-BROMOPHENYL)-6-METHOXYCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 196-198°C	1 gm	\$96.00
19-248	3(4'-BROMOPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 210-212°C	250 mg	\$132.00
19-461	3(4'-BROMOPHENYL)-7-DIETHYLAMINOCOUMARIN C ₁₉ H ₁₈ BrNO ₂ MW: 372.26 MP: 157.7-159.7°C	250 mg	\$64.00
19-242	3(4'-BROMOPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ BrO ₃ MW: 359.22 MP: 157-159°C	250 mg	\$156.00
19-243	3(4'-BROMOPHENYL)-7-ETHOXY-4-PHENYLCOUMARIN C ₂₃ H ₁₇ BrO ₃ MW: 421.28 MP: 182.5-184.3°C	250 mg	\$140.00
19-220	3(4'-BROMOPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 197-198.5°C	1 gm	\$114.00
19-007	3(4'-BROMOPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 260-262°C	1 gm	\$84.00
19-246	3(4'-BROMOPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ BrO ₃ MW: 393.23 MP: 300-302°C	250 mg	\$144.00
19-244	3(4'-BROMOPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ BrO ₃ MW: 317.14 MP: 265.7-266.7°C	250 mg	\$124.00
19-009	3(4'-BROMOPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 173-175°C	1 gm	\$90.00
19-010	3(4'-BROMOPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₃ MW: 407.26 MP: 202-203°C	1 gm	\$84.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-221	3(4'-BROMOPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 182-183.5°C	1 gm	\$108.00
19-223	3(4'-BROMOPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 232-233.4°C	1 gm	\$114.00
19-003	3(4'-BROMOPHENYL)COUMARIN C ₁₅ H ₉ BrO ₂ MW: 301.14 MP: 193.5-194.5°C	1 gm	\$72.00
19-303	3(4'-CHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 170.6-172.5°C	250 mg	\$56.00
19-304	3(4'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 167.7-169°C	250 mg	\$52.00
19-066	3(4'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 165-166°C	1 gm	\$90.00
19-013	3(4'-CHLOROPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 215-217°C	1 gm	\$96.00
19-305	3(4'-CHLOROPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 264.4-266.9°C	250 mg	\$60.00
19-018	3(4'-CHLOROPHENYL)-6-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 182-185°C	1 gm	\$90.00
19-466	3(4'-CHLOROPHENYL)-7-DIETHYLAMINOCUMARIN C ₁₉ H ₁₈ ClNO ₂ MW: 327.81 MP: 145.6-147.3°C	250 mg	\$68.00
19-030	3(4'-CHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 191-192°C	1 gm	\$75.00
19-014	3(4'-CHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 246-249°C	1 gm	\$90.00
19-015	3(4'-CHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₃ MW: 348.78 MP: 287-291°C	1 gm	\$96.00
19-031	3(4'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ ClO ₃ MW: 272.69 MP: 286-288°C	1 gm	\$84.00
19-016	3(4'-CHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 156-158°C	1 gm	\$90.00
19-017	3(4'-CHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 199-202°C	1 gm	\$96.00
19-032	3(4'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 184-186°C	1 gm	\$84.00
17-073	3(4'-CHLOROPHENYL)COUMARIN C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 189-190.5°C	1 gm	\$72.00
19-476	3(4'-ETHOXYPHENYL)-6-FLUORO-4-METHYLCOUMARIN C ₁₈ H ₁₅ FO ₃ MW: 298.32 MP: 186-187.4°C	250 mg	\$80.00
19-081	3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 192-193°C	1 gm	\$90.00
19-046	3(4'-METHOXYPHENYL)COUMARIN C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 142-144°C	1 gm	\$84.00
19-082	3(4'-NITROPHENYL)COUMARIN C ₁₅ H ₉ NO ₄ MW: 267.25 MP: 267-268°C	1 gm	\$96.00
25-085	3-(PHENYLSULFONYL)ACETYLCOUMARIN C ₁₇ H ₁₂ O ₅ S MW: 328.35 MP: 154-156°C	250 mg	\$64.00
25-091	3-(p-TOLYLSULFONYL)ACETYLCOUMARIN C ₁₈ H ₁₄ O ₅ S MW: 342.37 MP: 160-162°C	250 mg	\$64.00
D-107	3,4-DIHYDROCOUMARIN [119-84-6] (Hydroxycoumarin) C ₉ H ₈ O ₂ MW: 148.16 MP: ~25°C	1 gm	\$49.00
19-075	3,4-DIPHENYL-6-METHYLCOUMARIN C ₂₂ H ₁₆ O ₂ MW: 312.37 MP: 210-212°C	1 gm	\$90.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-020	3,4-DIPHENYL-7-HYDROXYCOUMARIN C ₂₁ H ₁₄ O ₃ MW: 314.34 MP: 291-293°C	1 gm	\$90.00
19-021	3,4-DIPHENYL-7-METHOXYCOUMARIN C ₂₂ H ₁₆ O ₃ MW: 328.37 MP: 175-176°C	1 gm	\$84.00
19-370	3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₄ O ₂ MW: 298.34 MP: 231-232.8°C	250 mg	\$64.00
19-543	3,6-DIMETHYL-4-HYDROXYCOUMARIN C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 252.7-255°C	250 mg	\$76.00
19-544	3,6-DIMETHYL-4-METHOXYCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.23 MP: 92.8-95.2°C	250 mg	\$70.00
020596	3-ACETAMIDOCOUMARIN [779-30-6] C ₁₁ H ₉ NO ₃ MW: 203.19 MP: 204-209°C	100 mg	\$80.00
19-424	3-ACETYL-7-DIETHYLAMINOCOUMARIN C ₁₅ H ₁₇ NO ₃ MW: 259.31 MP: 152.4-153.8°C	250 mg	\$68.00
19-665	3-ACETYL-8-METHOXYCOUMARIN C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 169.7-171.5°C	250 mg	\$60.00
A-103	3-ACETYLCOUMARIN [3949-36-8] C ₁₁ H ₈ O ₃ MW: 188.18 MP: 120-123°C	5 gm	\$35.00
A-104	3-AMINOCOUMARIN [1635-31-0] C ₉ H ₇ NO ₂ MW: 161.16 MP: 133.5-135°C	250 mg	\$64.00
19-108	3-BENZAMIDOCOUMARIN [2549-08-8] (N-Benzoyl-3-amino coumarin) C ₁₆ H ₁₁ NO ₃ MW: 265.27 MP: 173°C	25 mg	\$34.00
23-004	3-CHLORO-7-HYDROXY-4-METHYLCOUMARIN [6174-86-3] C ₁₀ H ₇ ClO ₃ MW: 210.62 MP: 241.2-244°C	250 mg	\$22.00
17-083	3-CYANO-4,6-DIMETHYLCOUMARIN [56394-28-6] C ₁₂ H ₉ NO ₂ MW: 199.21 MP: 200-204°C	1 gm	\$84.00
19-251	3-CYANO-4,7-DIMETHYLCOUMARIN C ₁₂ H ₉ NO ₂ MW: 199.21 MP: 221.5-223.5°C	250 mg	\$104.00
19-540	3-CYANO-4-ETHYL-6-METHYLCOUMARIN C ₁₃ H ₁₁ NO ₂ MW: 213.24 MP: 197-200°C	250 mg	\$76.00
17-090	3-CYANO-4-METHYLCOUMARIN [24526-69-0] C ₁₁ H ₇ NO ₂ MW: 185.19 MP: 191-194°C	1 gm	\$90.00
17-081	3-CYANO-6,8-DIBROMO-4-METHYLCOUMARIN C ₁₁ H ₅ Br ₂ NO ₂ MW: 342.97 MP: 267-270°C (d)	1 gm	\$90.00
17-082	3-CYANO-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₁ H ₅ Cl ₂ NO ₂ MW: 254.07 MP: 230-235°C	1 gm	\$90.00
19-019	3-CYANO-6-METHOXYCOUMARIN C ₁₁ H ₇ NO ₃ MW: 201.19 MP: 228-231°C	1 gm	\$84.00
19-402	3-CYANO-7-(DIETHYLAMINO)COUMARIN C ₁₄ H ₁₄ N ₂ O ₂ MW: 242.28 MP: 226.5-229.5°C	1 gm	\$135.00
19-033	3-CYANO-7-ETHOXYCOUMARIN [117620-77-6] C ₁₂ H ₉ NO ₃ MW: 215.21 MP: 210-212°C	1 gm	\$96.00
17-087	3-CYANO-7-HYDROXY-4-METHYLCOUMARIN [2829-46-1] C ₁₁ H ₇ NO ₃ MW: 201.19 MP: 297-299°C	1 gm	\$96.00
19-053	3-CYANO-7-HYDROXYCOUMARIN [19088-73-4] C ₁₀ H ₅ NO ₃ MW: 187.16 MP: 271-273°C	1 gm	\$90.00
19-035	3-CYANO-7-METHOXYCOUMARIN C ₁₁ H ₇ NO ₃ MW: 201.19 MP: 216-218°C	1 gm	\$90.00
19-667	3-CYANO-8-METHOXYCOUMARIN C ₁₁ H ₇ NO ₃ MW: 201.18 MP: 227.6-230°C	250 mg	\$60.00
17-080	3-CYANOCOUMARIN C ₁₀ H ₅ NO ₂ MW: 171.16 MP: 183-187°C	1 gm	\$96.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020505	3-HYDROXYCOUMARIN [939-19-5] C ₉ H ₆ O ₃ MW: 162.14 MP: 173-176°C	100 mg	\$98.00
28-009	3-METHYL-6-NITROCOUMARIN C ₁₀ H ₇ NO ₄ MW: 205.17 MP: 220-222°C (d)	250 mg	\$50.00
17-152	3-PHENYLCOUMARIN C ₁₅ H ₁₀ O ₂ MW: 222.25 MP: 140-142°C	1 gm	\$66.00
19-281	4(2',4'-DICHLOROBENZYL)-7-METHOXY-3-PHENYLCOUMARIN C ₂₃ H ₁₆ Cl ₂ O ₃ MW: 411.29 MP: 164.5-165.8°C	250 mg	\$84.00
19-261	4(4'-CHLOROBENZYL)-7-HYDROXY-3-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 267.7-269.7°C	250 mg	\$90.00
19-262	4(4'-CHLOROBENZYL)-7-METHOXY-3-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 188.5-189.6°C	250 mg	\$82.00
19-122	4(4'-CHLOROPHENYL)-3-(2',4'-DICHLOROPHENYL)-6-METHYLCOUMARIN C ₂₂ H ₁₃ Cl ₃ O ₂ MW: 415.70 MP: 218-219°C	1 gm	\$75.00
19-052	4(4'-CHLOROPHENYL)-6,8-DICHLORO-3-PHENYLCOUMARIN C ₂₁ H ₁₁ Cl ₃ O ₂ MW: 401.68 MP: 182-183°C	1 gm	\$78.00
19-344	4,6-DICHLORO-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₅ Cl ₂ NO ₄ MW: 274.06 MP: 157-158.4°C	250 mg	\$50.00
19-253	4,6-DIMETHYL-3(4'-HYDROXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 274.8-276.7°C	250 mg	\$112.00
19-100	4,6-DIMETHYL-3(4'-METHOXYPHENYL)COUMARIN C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 192-193°C	1 gm	\$96.00
17-116	4,6-DIMETHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 174-176°C	1 gm	\$66.00
19-205	4,7-DIMETHYL-3(4'-METHOXYPHENYL)COUMARIN C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 172-173°C	1 gm	\$111.00
19-206	4,7-DIMETHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 155.5-157°C	1 gm	\$96.00
19-294	4-ALLYLOXYCOUMARIN [31005-07-9] C ₁₂ H ₁₀ O ₃ MW: 202.21 MP: 114-115.5°C	250 mg	\$50.00
19-630	4-AMINO-9-METHOXYPORALEN C ₁₂ H ₉ NO ₄ MW: 231.21 MP: 237.5-239.5°C	100 mg	\$90.00
19-259	4-BENZYL-3(4'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 214-216°C	250 mg	\$82.00
19-260	4-BENZYL-3(4'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 169.5-171°C	250 mg	\$86.00
19-256	4-BENZYL-6-CHLORO-3(4'-CHLOROPHENYL)-7-METHYLCOUMARIN C ₂₃ H ₁₆ Cl ₂ O ₂ MW: 395.29 MP: 221-223°C	250 mg	\$80.00
19-257	4-BENZYL-6-CHLORO-3(4'-METHOXYPHENYL)-7-METHYLCOUMARIN C ₂₄ H ₁₉ ClO ₃ MW: 390.86 MP: 273.6-276°C	250 mg	\$84.00
19-258	4-BENZYL-6-CHLORO-7-METHYL-3-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₂ MW: 360.83 MP: 186.2-187.1°C	250 mg	\$88.00
19-228	4-BENZYL-7-HYDROXY-3-PHENYLCOUMARIN C ₂₂ H ₁₆ O ₃ MW: 328.37 MP: 241.3-243.7°C	250 mg	\$160.00
19-229	4-BENZYL-7-METHOXY-3-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₃ MW: 342.39 MP: 153.5-154.7°C	250 mg	\$168.00
19-412	4-BROMOMETHYL-6,7-DIMETHOXYCOUMARIN [88404-25-5] C ₁₂ H ₁₁ BrO ₄ MW: 299.12 MP: 210.2-211.7°C	250 mg	\$60.00
19-860	4-BROMOMETHYL-7-METHOXYCOUMARIN [35231-44-8] C ₁₁ H ₉ O ₃ Br MW: 269.10 MP: 215-216°C	1 gm	\$209.00
19-143	4-CHLORO-3-NITROCOUMARIN [38464-20-9] C ₉ H ₄ ClNO ₄ MW: 225.59 MP: 161-163.5°C	1 gm	\$84.00
19-401	4-CHLORO-6-FLUORO-3-NITROCOUMARIN C ₉ H ₃ ClFNO ₄ MW: 243.58 MP: 149.8-151.8°C	1 gm	\$120.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-342	4-CHLORO-6-METHYL-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₄ MW: 239.62 MP: 159-160.5°C	250 mg	\$52.00
19-341	4-CHLORO-7-METHOXY-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₅ MW: 255.62 MP: 159.4-160.5°C	250 mg	\$50.00
19-343	4-CHLORO-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₄ MW: 239.62 MP: 190.5-192.1°C	250 mg	\$52.00
19-404	4-ETHOXY-6-FLUOROCOUMARIN [527751-30-0] C ₁₁ H ₉ FO ₃ MW: 208.19 MP: 173-175°C	1 gm	\$114.00
19-346	4-ETHOXY-6-METHOXYCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.23 MP: 110.7-112°C	1 gm	\$60.00
19-332	4-ETHOXY-6-METHYLCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 142-145°C	250 mg	\$40.00
19-331	4-ETHOXY-7-METHOXYCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.23 MP: 168-170°C	250 mg	\$40.00
19-347	4-ETHOXY-7-METHYLCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 144.8-145.9°C	1 gm	\$66.00
15-001	4-ETHOXYCOUMARIN [35817-27-7] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 133-136°C	1 gm	\$18.00
15-005	4-HYDROXY-3-NITROCOUMARIN [20261-31-8] C ₉ H ₅ O ₅ N MW: 207.14 MP: 171-173°C	1 gm	\$30.00
19-371	4-HYDROXY-6-METHOXY-3-NITROCOUMARIN C ₁₀ H ₇ NO ₆ MW: 237.17 MP: 176.4-177.6°C	1 gm	\$75.00
19-348	4-HYDROXY-6-METHOXYCOUMARIN [13252-84-1] C ₁₀ H ₈ O ₄ MW: 192.17 MP: 268-270°C	1 gm	\$60.00
19-351	4-HYDROXY-6-METHYL-3-NITROCOUMARIN C ₁₀ H ₇ NO ₅ MW: 221.17 MP: 173-174.6°C	1 gm	\$75.00
020566	4-HYDROXY-6-METHYLCOUMARIN [13252-83-0] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 262-264°C	5 gm	\$60.00
19-766	4-HYDROXY-7-METHOXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 221.8-223.5°C	250 mg	\$60.00
19-349	4-HYDROXY-7-METHOXY-3-NITROCOUMARIN C ₁₀ H ₇ NO ₆ MW: 237.17 MP: 174.4-176.8°C	1 gm	\$60.00
19-768	4-HYDROXY-7-METHOXY-3-PHENYLCOUMARIN [2555-24-0] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 204.3-206.5°C	250 mg	\$60.00
19-334	4-HYDROXY-7-METHOXYCOUMARIN [17575-15-4] C ₁₀ H ₈ O ₄ MW: 192.17 MP: 262.5-264.5°C	1 gm	\$60.00
19-352	4-HYDROXY-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₇ NO ₅ MW: 221.17 MP: 196.6-198.8°C	1 gm	\$66.00
19-350	4-HYDROXY-7-METHYLCOUMARIN C ₁₀ H ₈ O ₃ MW: 176.17 MP: 224-225.8°C	1 gm	\$66.00
H-105	4-HYDROXYCOUMARIN [1076-38-6] C ₉ H ₆ O ₃ MW: 162.14 MP: 210-214°C	5 gm	\$20.00
020578	4-METHOXYCOUMARIN [20280-81-3] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 125.5-127°C	250 mg	\$81.00
17-149	4-METHYL-3-PHENYLCOUMARIN [23028-23-1] C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 156-158°C	1 gm	\$66.00
D-120	5,7-DIHYDROXY-4-METHYLCOUMARIN [2107-76-8] C ₁₀ H ₈ O ₄ MW: 192.17 MP: >270°C	500 mg	\$68.00
19-474	5,7-DIHYDROXY-4-METHYLCOUMARIN-3-ACETIC ACID C ₁₂ H ₁₀ O ₆ MW: 250.21 MP: 288.6-290.4°C	100 mg	\$110.00
19-310	5,7-DIMETHOXY-4-METHYLCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.22 MP: 170.5-171.8°C	1 gm	\$90.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-128	5,7-DIMETHOXYCOUMARIN [487-06-9] (Citropten; Limettin) C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 146-149°C	100 mg	\$45.00
020581S	5,7-DIMETHOXYCOUMARIN with HPLC [487-06-9] (Citropten; Limettin) C ₁₁ H ₁₀ O ₄ MW: 206.2 MP: 146-149°C	10 mg	\$209.00
19-255	5-ALLYLOXYPSORALEN (Bergaptol allylether) C ₁₄ H ₁₀ O ₄ MW: 242.23 MP: 134.8-137.5°C	250 mg	\$180.00
020560S	5-GERANOXY-7-METHOXYCOUMARIN with HPLC [7380-39-4] (5[(3,7-Dimethyl-2,6-octadienyl)oxy]-7-methoxycoumarin) C ₂₀ H ₂₄ O ₄ MW: 328.41 MP: 86-88°C	10 mg	\$268.00
19-409	5-METHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 164.5-167°C	1 gm	\$96.00
19-306	6,7-DIALLYLOXY-4-METHYLCOUMARIN C ₁₆ H ₁₆ O ₄ MW: 272.31 MP: 81.5-83°C	250 mg	\$64.00
19-224	6,7-DIETHOXY-4-METHYLCOUMARIN C ₁₄ H ₁₆ O ₄ MW: 248.28 MP: 100-101.4°C	1 gm	\$108.00
D-009	6,7-DIHYDROXY-4-METHYLCOUMARIN [529-84-0] (4-Methylesculetin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: >280°C	500 mg	\$40.00
19-861	6,7-DIHYDROXY-4-PHENYLCOUMARIN [482-82-6] (Nordalbergin) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 274-275°C	10 mg	\$184.00
19-418	6,7-DIHYDROXYCOUMARIN-4-ACETIC ACID [88404-14-2] C ₁₁ H ₈ O ₆ MW: 236.18 MP: 229°C (d)	250 mg	\$60.00
19-419	6,7-DIMETHOXY-4-ETHYLCOUMARIN C ₁₃ H ₁₄ O ₄ MW: 234.25 MP: 150-151°C	250 mg	\$64.00
020597	6,7-DIMETHOXY-4-METHYLCOUMARIN [4281-40-7] C ₁₂ H ₁₂ O ₄ MW: 220.22 MP: 136.6-139°C	100 mg	\$99.00
19-528	6,7-DIMETHYL-4-HYDROXYCOUMARIN HYDRATE C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 252-255°C	250 mg	\$90.00
020551	6,7-DIMETHYLESCULETIN [120-08-1] (Scoparone; Esculetin dimethylether, 6,7-Dimethoxycoumarin) C ₁₁ H ₁₀ O ₄ MW: 206.2 MP: 144-145.5°C	100 mg	\$80.00
020586S	6,7-DIMETHYLESCULETIN with HPLC [120-08-1] (Scoparone; Esculetin dimethylether) C ₁₁ H ₁₀ O ₄ MW: 206.2 MP: 144-146°C	10 mg	\$125.00
19-090	6,8-DICHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₈ Cl ₄ O ₂ MW: 374.05 MP: 202-204°C	1 gm	\$96.00
19-091	6,8-DICHLORO-3(2',4'-DICHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₀ Cl ₄ O ₂ MW: 436.12 MP: 262-264°C	1 gm	\$108.00
19-269	6,8-DICHLORO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₄ MW: 365.22 MP: 200.2-201.8°C	250 mg	\$88.00
19-036	6,8-DICHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 174-176°C	1 gm	\$105.00
19-070	6,8-DICHLORO-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₃ MW: 397.26 MP: 185-188°C	1 gm	\$75.00
19-067	6,8-DICHLORO-3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 153-154°C	1 gm	\$102.00
17-108	6,8-DICHLORO-4-HYDROXYCOUMARIN C ₉ H ₄ Cl ₂ O ₃ MW: 231.04 MP: 288-290.4°C	1 gm	\$72.00
17-112	6,8-DICHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 179-181°C	1 gm	\$90.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-764	6,8-DIMETHYL-4-HYDROXYCOUMARIN C ₁₁ H ₁₀ O ₃ MW: 190.2 MP: 269°C (d)	250 mg	\$60.00
19-296	6-ALLYLOXY-4-METHYLCOUMARIN C ₁₃ H ₁₂ O ₃ MW: 216.23 MP: 72.8-75°C	250 mg	\$50.00
19-084	6-BROMO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 192-194°C	1 gm	\$120.00
19-111	6-BROMO-3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 203-207°C	1 gm	\$96.00
19-112	6-BROMO-3(2'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 207-209°C	1 gm	\$102.00
19-278	6-BROMO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₅ BrO ₄ MW: 375.22 MP: 182-183.2°C	250 mg	\$84.00
19-279	6-BROMO-3(3',4'-DIMETHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₇ BrO ₄ MW: 437.29 MP: 176.9-178.5°C	250 mg	\$76.00
19-359	6-BROMO-3(3'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Br ₂ O ₂ MW: 394.06 MP: 186.5-188°C	250 mg	\$50.00
19-357	6-BROMO-3(3'-BROMOPHENYL)-8-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 199.4-201°C	250 mg	\$64.00
19-165	6-BROMO-3(3'-CHLOROPHENYL)-4(2'-CHLOROPHENYL)COUMARIN C ₂₁ H ₁₁ BrCl ₂ O ₂ MW: 446.13 MP: 150-151°C	1 gm	\$72.00
19-166	6-BROMO-3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 172-173°C	1 gm	\$66.00
19-185	6-BROMO-3(3'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 196.5-198.2°C	1 gm	\$96.00
19-001	6-BROMO-3(4'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Br ₂ O ₂ MW: 394.07 MP: 192-194°C	1 gm	\$78.00
19-215	6-BROMO-3(4'-BROMOPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Br ₂ O ₂ MW: 456.13 MP: 234-237°C	1 gm	\$108.00
19-214	6-BROMO-3(4'-BROMOPHENYL)-8-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 257.2-259°C	1 gm	\$114.00
19-002	6-BROMO-3(4'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 217-219°C	1 gm	\$84.00
19-240	6-BROMO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 303-305°C	250 mg	\$148.00
19-056	6-BROMO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 164-166°C	1 gm	\$126.00
19-048	6-BROMO-3,4-DI-(4'-CHLOROPHENYL)COUMARIN C ₂₁ H ₁₁ BrCl ₂ O ₂ MW: 446.13 MP: 218-221°C	1 gm	\$78.00
19-085	6-BROMO-3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₃ BrO ₂ MW: 377.23 MP: 161-163°C	1 gm	\$114.00
17-023	6-BROMO-3-CYANO-4-METHYLCOUMARIN [56394-22-0] C ₁₁ H ₆ BrNO ₂ MW: 264.18 MP: 185-191°C	1 gm	\$96.00
19-110	6-BROMO-4(4'-CHLOROPHENYL)-3-(2',4'-DICHLOROPHENYL)COUMARIN C ₂₁ H ₁₀ BrCl ₃ O ₂ MW: 480.57 MP: 205-207°C	1 gm	\$90.00
19-047	6-BROMO-4(4'-CHLOROPHENYL)-3-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 200-202°C	1 gm	\$90.00
19-317	6-BROMO-4-ETHOXYCOUMARIN C ₁₁ H ₉ BrO ₃ MW: 269.10 MP: 183.8-185°C	250 mg	\$40.00
17-027	6-BROMO-4-HYDROXYCOUMARIN [4139-61-1] C ₉ H ₅ BrO ₃ MW: 241.05 MP: 283-285°C	1 gm	\$75.00
17-033	6-BROMO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 186-188°C	1 gm	\$72.00
19-235	6-BROMO-8-CHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₈ NrCl ₃ O ₂ MW: 418.50 MP: 193.5-195.5°C	250 mg	\$152.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-232	6-BROMO-8-CHLORO-3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 180-181.4°C	250 mg	\$152.00
19-277	6-BROMO-8-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₄ BrClO ₄ MW: 409.67 MP: 195.9-197.1°C	250 mg	\$80.00
19-237	6-BROMO-8-CHLORO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₃ MW: 365.61 MP: 224.8-226.4°C	250 mg	\$156.00
19-182	6-BROMO-8-CHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₃ MW: 379.63 MP: 167.2-169°C	1 gm	\$90.00
19-233	6-BROMO-8-CHLORO-3-CYANO-4-METHYLCOUMARIN C ₁₁ H ₅ BrClNO ₂ MW: 298.52 MP: 255.6-258°C	250 mg	\$140.00
19-739	6-BROMO-8-CHLORO-4-HYDROXYCOUMARIN C ₉ H ₄ BrClO ₃ MW: 275.49 MP: 295°C (d)	250 mg	\$60.00
19-239	6-BROMO-8-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 146.5-148.5°C	250 mg	\$144.00
19-086	6-CHLORO-3(2',4'-DICHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₁ Cl ₃ O ₂ MW: 353.64 MP: 227-229°C	1 gm	\$108.00
19-119	6-CHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 205-207°C	1 gm	\$96.00
19-088	6-CHLORO-3(2',4'-DICHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₁ Cl ₃ O ₂ MW: 401.68 MP: 229-230°C	1 gm	\$96.00
19-087	6-CHLORO-3(2',4'-DICHLOROPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₃ Cl ₃ O ₂ MW: 415.70 MP: 253-254°C	1 gm	\$90.00
19-391	6-CHLORO-3(2'-CHLOROPHENYL)-4,5,7-TRIMETHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₂ MW: 333.22 MP: 202.8-204.8°C	250 mg	\$60.00
19-115	6-CHLORO-3(2'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 197-200°C	1 gm	\$102.00
19-116	6-CHLORO-3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 206-208°C	1 gm	\$96.00
19-118	6-CHLORO-3(2'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 208-210°C	1 gm	\$78.00
19-117	6-CHLORO-3(2'-CHLOROPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₂ MW: 381.26 MP: 186-190°C	1 gm	\$84.00
19-263	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₉ H ₁₇ ClO ₄ MW: 344.79 MP: 200.8-202.4°C	250 mg	\$86.00
19-264	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₄ MW: 330.77 MP: 181-182.5°C	250 mg	\$80.00
19-280	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₄ MW: 392.84 MP: 168.3-169.8°C	250 mg	\$80.00
19-414	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₅ MW: 346.77 MP: 245.4-247°C	250 mg	\$56.00
19-392	6-CHLORO-3(3'-CHLOROPHENYL)-4,5,7-TRIMETHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₂ MW: 333.22 MP: 192.3-194.1°C	250 mg	\$56.00
19-168	6-CHLORO-3(3'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 183-184°C	1 gm	\$78.00
19-169	6-CHLORO-3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 175°C	1 gm	\$84.00
19-186	6-CHLORO-3(3'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 188-189.5°C	1 gm	\$108.00
19-011	6-CHLORO-3(4'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 171-172°C	1 gm	\$75.00
19-012	6-CHLORO-3(4'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 219-221°C	1 gm	\$84.00
19-250	6-CHLORO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: >300°C	250 mg	\$116.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-397	6-CHLORO-3(4'-METHOXYPHENYL)-4,5,7-TRIMETHYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 328.80 MP: 167.8-169.2°C	250 mg	\$60.00
19-029	6-CHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 190-194°C	1 gm	\$105.00
19-064	6-CHLORO-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 194-196°C	1 gm	\$84.00
19-063	6-CHLORO-3(4'-METHOXYPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 193-195°C	1 gm	\$96.00
19-051	6-CHLORO-3,4-DI(4'-CHLOROPHENYL)-7-METHYLCOUMARIN C ₂₂ H ₁₃ Cl ₃ O ₂ MW: 415.70 MP: 205-208°C	1 gm	\$75.00
19-027	6-CHLORO-3,4-DI(4'-CHLOROPHENYL)COUMARIN C ₂₁ H ₁₁ Cl ₃ O ₂ MW: 401.68 MP: 221-223°C	1 gm	\$75.00
19-060	6-CHLORO-3,4-DIPHENYL-7-METHYLCOUMARIN C ₂₂ H ₁₅ ClO ₂ MW: 346.81 MP: 178-180°C	1 gm	\$108.00
19-059	6-CHLORO-3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₂ MW: 332.78 MP: 165-167°C	1 gm	\$108.00
17-046	6-CHLORO-3-CYANO-4,7-DIMETHYLCOUMARIN C ₁₂ H ₈ ClNO ₂ MW: 233.65 MP: 230-235°C	1 gm	\$90.00
17-048	6-CHLORO-3-CYANO-4-METHYLCOUMARIN C ₁₁ H ₆ ClNO ₂ MW: 219.63 MP: 184-190°C	1 gm	\$96.00
19-114	6-CHLORO-4(4'-CHLOROPHENYL)-3(2',4'-DICHLOROPHENYL)-7-METHYLCOUMARIN C ₂₂ H ₁₂ Cl ₄ O ₂ MW: 450.14 MP: 193-195°C	1 gm	\$96.00
19-113	6-CHLORO-4(4'-CHLOROPHENYL)-3(2',4'-DICHLOROPHENYL)COUMARIN C ₂₁ H ₁₀ Cl ₄ O ₂ MW: 436.12 MP: 223-224°C	1 gm	\$90.00
19-058	6-CHLORO-4(4'-CHLOROPHENYL)-3(4'-METHOXYPHENYL)-7-METHYLCOUMARIN C ₂₃ H ₁₆ Cl ₂ O ₃ MW: 411.29 MP: 197-198°C	1 gm	\$126.00
19-057	6-CHLORO-4(4'-CHLOROPHENYL)-3(4'-METHOXYPHENYL)COUMARIN C ₂₂ H ₁₄ Cl ₂ O ₃ MW: 397.26 MP: 176-178°C	1 gm	\$90.00
19-050	6-CHLORO-4(4'-CHLOROPHENYL)-3-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 182-183°C	1 gm	\$78.00
19-049	6-CHLORO-4(4'-CHLOROPHENYL)-7-METHYL-3-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₂ MW: 381.26 MP: 212-214°C	1 gm	\$96.00
19-249	6-CHLORO-4,7-DIMETHYL-3(4'-HYDROXYPHENYL)COUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 239-241.2°C	250 mg	\$124.00
19-028	6-CHLORO-4,7-DIMETHYL-3(4'-METHOXYPHENYL)COUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 184-186°C	1 gm	\$90.00
17-050	6-CHLORO-4,7-DIMETHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 184.5-185.5°C	1 gm	\$90.00
19-325	6-CHLORO-4-ETHOXY-7-METHYLCOUMARIN C ₁₂ H ₁₁ ClO ₃ MW: 238.67 MP: 198.6-200.3°C	250 mg	\$50.00
19-324	6-CHLORO-4-ETHOXYCOUMARIN C ₁₁ H ₉ ClO ₃ MW: 224.65 MP: 178.1-180°C	250 mg	\$40.00
19-760	6-CHLORO-4-HYDROXY-7-METHOXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₇ H ₁₃ ClO ₅ MW: 332.74 MP: 285-287.5°C	50 mg	\$95.00
19-741	6-CHLORO-4-HYDROXY-7-METHOXYCOUMARIN [64729-38-0] C ₁₀ H ₇ ClO ₄ MW: 226.62 MP: 302°C (d)	250 mg	\$60.00
19-340	6-CHLORO-4-HYDROXY-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₅ MW: 255.62 MP: 180.8-182.6°C	250 mg	\$60.00
19-722	6-CHLORO-4-HYDROXY-7-METHYLCOUMARIN C ₁₀ H ₇ ClO ₃ MW: 210.62 MP: 266-268.8°C	250 mg	\$70.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

17-054	6-CHLORO-4-HYDROXYCOUMARIN [19484-57-2] (6-Chloro-4-hydroxy-2H-1-benzopyran-2-one) C ₉ H ₅ ClO ₃ MW: 196.59 MP: 287-288°C	1 gm	\$66.00
19-065	6-CHLORO-4-METHYL-3-(4'-NITROPHENYL)COUMARIN C ₁₆ H ₁₀ ClNO ₄ MW: 315.72 MP: 256-257°C	1 gm	\$108.00
17-070	6-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.71 MP: 195-196°C	1 gm	\$75.00
19-417	6-CHLORO-7-HYDROXY-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 291.2-293.3°C	250 mg	\$56.00
19-416	6-CHLORO-7-HYDROXY-4-METHYLCOUMARIN [19492-02-5] C ₁₀ H ₇ ClO ₃ MW: 210.62 MP: 287.5-290°C	250 mg	\$50.00
19-415	6-CHLORO-7-HYDROXYCOUMARIN C ₉ H ₅ ClO ₃ MW: 196.59 MP: 275-277.3°C	250 mg	\$60.00
19-254	6-ETHOXY-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 239-242°C	250 mg	\$118.00
19-101	6-ETHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 174-176°C	1 gm	\$108.00
19-102	6-ETHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 136-138°C	1 gm	\$96.00
19-038	6-ETHOXY-4-METHYLCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 114-115°C	1 gm	\$60.00
19-744	6-ETHYL-4-HYDROXYCOUMARIN [55005-28-2] C ₁₁ H ₁₀ O ₃ MW: 190.2 MP: 219-221°C	250 mg	\$68.00
19-408	6-FLUORO-4-HYDROXYCOUMARIN [1994-13-4] C ₉ H ₅ FO ₃ MW: 180.14 MP: 252.7-253.9°C	1 gm	\$90.00
19-103	6-HYDROXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 231.5-233.5°C	1 gm	\$96.00
19-104	6-HYDROXY-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 250-251°C	1 gm	\$90.00
15-004	6-HYDROXY-4-METHYLCOUMARIN [2373-31-1] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 244.5-246.5°C	1 gm	\$22.00
19-865	6-HYDROXY-7-METHOXY-4-PHENYLCOUMARIN [482-83-7] (Dalbergin) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 211-214°C	25 mg	\$95.00
020520	6-HYDROXY-7-METHOXYCOUMARIN [776-86-3] (Isoscapoletin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 186-187.7°C	25 mg	\$120.00
020526	6-HYDROXYCOUMARIN [6093-68-1] C ₉ H ₆ O ₃ MW: 162.15	500 mg	\$35.00
19-105	6-METHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 181.5-183.5°C	1 gm	\$108.00
19-041	6-METHOXY-3(4'-METHOXYPHENYL)COUMARIN [263364-71-2] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 149-150°C	1 gm	\$96.00
19-080	6-METHOXY-3(4'-NITROPHENYL)COUMARIN C ₁₆ H ₁₁ NO ₅ MW: 297.28 MP: 269-271°C	1 gm	\$96.00
19-024	6-METHOXY-3-PHENYLCOUMARIN [6468-48-0] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 157-159°C	1 gm	\$84.00
19-106	6-METHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 149-152°C	1 gm	\$96.00
19-045	6-METHOXY-4-METHYLCOUMARIN [6295-35-8] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 164-165°C	1 gm	\$75.00
19-107	6-METHYL-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₃ MW: 342.39 MP: 200-202°C	1 gm	\$96.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020531	6-METHYLCOUMARIN [92-48-8] (Toncarine) C ₁₀ H ₈ O ₂ MW: 160.17 MP: 75-77°C	5 gm	\$95.00
19-307	7,8-DIALLYLOXY-4-METHYLCOUMARIN C ₁₆ H ₁₆ O ₄ MW: 272.31 MP: 51.3-52.5°C	250 mg	\$64.00
D-121	7,8-DIHYDROXY-4-METHYLCOUMARIN [2107-77-9] (4-Methyldaphnetin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 238.3-240.7°C	500 mg	\$64.00
19-475	7,8-DIHYDROXY-4-METHYLCOUMARIN-3-ACETIC ACID C ₁₂ H ₁₀ O ₆ MW: 250.21 MP: 276.5-278.6°C	100 mg	\$120.00
D-109	7,8-DIHYDROXYCOUMARIN [486-35-1] (Daphnetin) C ₉ H ₆ O ₄ MW: 178.15 MP: 257-261°C	100 mg	\$25.00
19-270	7,8-DIMETHOXY-4-METHYLCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.22 MP: 130.2-131.5°C	250 mg	\$78.00
19-410	7,8-DIMETHOXYCOUMARIN C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 117-118.3°C	1 gm	\$220.00
A-102	7-ACETOXY-4-METHYLCOUMARIN [2747-05-9] (b-Methylumbelliferyl acetate) C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 150-151.3°C	250 mg	\$24.00
19-356	7-ALLYLOXY-3(3'-BROMOPHENYL)-4-PHENYL COUMARIN C ₂₄ H ₁₇ BrO ₃ MW: 433.31 MP: 116.2-117.7°C	250 mg	\$64.00
19-355	7-ALLYLOXY-3(3'-BROMOPHENYL)COUMARIN C ₁₈ H ₁₃ BrO ₃ MW: 357.21 MP: 136.2-137.5°C	250 mg	\$60.00
19-297	7-ALLYLOXY-4-METHYLCOUMARIN [3993-57-5] C ₁₃ H ₁₂ O ₃ MW: 216.23 MP: 104-105°C	250 mg	\$50.00
19-295	7-ALLYLOXYCOUMARIN C ₁₂ H ₁₀ O ₃ MW: 202.21 MP: 83.7-84.8°C	250 mg	\$50.00
020547	7-AMINO-4-METHYLCOUMARIN [26093-31-2] C ₁₀ H ₉ NO ₂ MW: 175.19 MP: 226.5-228.5°C	1 gm	\$90.00
19-470	7-DIETHYLAMINO-3(3',4'-DIMETHOXYPHENYL)COUMARIN C ₂₁ H ₂₃ NO ₄ MW: 353.42 MP: 117-118.7°C	250 mg	\$64.00
19-471	7-DIETHYLAMINO-3(4'-ETHOXYPHENYL)COUMARIN C ₂₁ H ₂₃ NO ₃ MW: 337.42 MP: 151.6-153.1°C	250 mg	\$68.00
19-472	7-DIETHYLAMINO-3(4'-METHOXYPHENYL)COUMARIN C ₂₀ H ₂₁ NO ₃ MW: 323.40 MP: 110.2-111.6°C	250 mg	\$70.00
19-421	7-DIETHYLAMINO-3-FORMYLCOUMARIN [57597-64-5] C ₁₄ H ₁₅ NO ₃ MW: 245.28 MP: 165.5-167°C	250 mg	\$74.00
19-423	7-DIETHYLAMINO-3-HYDROXY METHYLCOUMARIN (7-Diethylamino-3-methanolcoumarin) C ₁₄ H ₁₇ NO ₃ MW: 247.3 MP: 97-98.2°C	50 mg	\$75.00
19-403	7-DIETHYLAMINO-3-PHENYLCOUMARIN C ₁₉ H ₁₉ NO ₂ MW: 293.37 MP: 152.1-153.4°C	1 gm	\$120.00
CS-002	7-DIETHYLAMINO-4-HYDROXYMETHYLCOUMARIN (7-Diethylamino-4-methanolcoumarin) C ₁₄ H ₁₇ NO ₃ MW: 247.29 MP: 144-146°C	100 mg	\$90.00
19-450	7-DIETHYLAMINOCUMARIN [20571-42-0] C ₁₃ H ₁₅ NO ₂ MW: 217.27 MP: 89-91.6°C	1 gm	\$144.00
19-225	7-DIMETHYLAMINO-4-METHYLCOUMARIN [87-01-4] C ₁₂ H ₁₃ NO ₂ MW: 203.24 MP: 144-146°C	5 gm	\$240.00
19-076	7-ETHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 141-142°C	1 gm	\$96.00
19-077	7-ETHOXY-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₄ MW: 372.42 MP: 178-180°C	1 gm	\$90.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-037	7-ETHOXY-3(4'-METHOXYPHENYL)COUMARIN [263364-70-1] C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 151-153°C	1 gm	\$90.00
E-107	7-ETHOXY-4-METHYLCOUMARIN [87-05-8] (4-Methyl-7-ethoxycoumarin: 7-Ethoxy-4-methyl-2H-chromen-2-one) C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 114-117°C	1 gm	\$40.00
020524S	7-ETHOXY-4-METHYLCOUMARIN with GC [87-05-8] (4-Methyl-7-ethoxycoumarin) C ₁₂ H ₁₂ O ₃ MW: 204.22	100 mg	\$135.00
E-105	7-ETHOXYCOUMARIN [31005-02-4] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 89-92°C	1 gm	\$46.00
19-525	7-FORMYL-6-NITROCOUMARIN [1383919-99-0] C ₁₀ H ₅ NO ₅ MW: 219.16 MP: 212.5-215°C (d)	25 mg	\$45.00
19-660	7-HYDROXY-3(2'-METHOXYPHENYL)COUMARIN C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 204-206.7°C	250 mg	\$80.00
19-815	7-HYDROXY-3-(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: above 300°C	100 mg	\$72.00
19-040	7-HYDROXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 232-234°C	1 gm	\$90.00
19-078	7-HYDROXY-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₂ H ₁₆ O ₄ MW: 344.37 MP: 256-257°C	1 gm	\$108.00
19-039	7-HYDROXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 233-235°C	1 gm	\$84.00
19-054	7-HYDROXY-3-PHENYLCOUMARIN C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 182-183°C	1 gm	\$75.00
28-005	7-HYDROXY-4-(2-PYRIDYL)COUMARIN C ₁₄ H ₉ NO ₃ MW: 239.23 MP: >250°C (d)	250 mg	\$40.00
28-006	7-HYDROXY-4-(3-PYRIDYL)COUMARIN C ₁₄ H ₉ NO ₃ MW: 239.23 MP: >230°C (d)	250 mg	\$40.00
28-008	7-HYDROXY-4-(3-TRIFLUOROMETHYLPHENYL)COUMARIN C ₁₆ H ₉ F ₃ O ₃ MW: 306.23 MP: >200°C	250 mg	\$50.00
28-007	7-HYDROXY-4-(4-PYRIDYL)COUMARIN MONOHYDRATE C ₁₄ H ₉ NO ₃ H ₂ O MW: 257.24 MP: >300°C (d)	250 mg	\$40.00
15-003	7-HYDROXY-4-METHOXYMETHYLCOUMARIN C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 215-217°C	250 mg	\$28.00
19-816	7-HYDROXY-4-METHYL-3-(2-THIOPHENYL)COUMARIN C ₁₄ H ₁₀ O ₃ S MW: 258.3 MP: 231.5-234.5°C	100 mg	\$72.00
19-022	7-HYDROXY-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 229-232°C	1 gm	\$96.00
19-458	7-HYDROXY-4-METHYL-6-NITROCOUMARIN C ₁₀ H ₇ NO ₅ MW: 221.17 MP: 262-263°C	250 mg	\$80.00
H-037	7-HYDROXY-4-METHYLCOUMARIN [90-33-5] (4-Methylumbelliferone, Hymecromone) C ₁₀ H ₈ O ₃ MW: 176.17 MP: 185-187°C	100 gm	\$38.00
19-478	7-HYDROXY-4-METHYLCOUMARIN-3-ACETIC ACID C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 264-266.5°C	100 mg	\$150.00
15-006	7-HYDROXY-4-TRIFLUOROMETHYLCOUMARIN [575-03-1] C ₁₀ H ₅ O ₃ F ₃ MW: 230.14 MP: 178-180°C	250 mg	\$29.00
H-109	7-HYDROXY-6-METHOXYCOUMARIN [92-61-5] (Scopoletin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 203-207°C	1 gm	\$80.00
H-017	7-HYDROXYCOUMARIN [93-35-6] (Umbelliferone) C ₉ H ₆ O ₃ MW: 162.14 MP: 231-233°C (d)	5 gm	\$22.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-146	7-HYDROXYCOUMARIN-3-CARBOXYLIC ACID [779-27-1] (3-Carboxy-7-hydroxycoumarin) C ₁₀ H ₆ O ₅ MW: 206.16 MP: >270°C	1 gm	\$114.00
28-004	7-HYDROXYCOUMARIN-4-ACETIC ACID [6950-82-9] C ₁₁ H ₈ O ₅ MW: 220.18 MP: >195°C	250 mg	\$44.00
06-1386	7-MERCAPTO-4-METHYLCOUMARIN [137215-27-1] (4-Methyl-7-thioubelliferone) C ₁₀ H ₈ O ₂ S MW: 192.23	-	INQUIRE
020589S	7-METHOXY 4-METHYLCOUMARIN with GC [2555-28-4] C ₁₁ H ₁₀ O ₃ MW: 190.2	1 gm	\$202.00
19-043	7-METHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 143-145°C	1 gm	\$90.00
19-044	7-METHOXY-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₄ MW: 358.39 MP: 205-206°C	1 gm	\$96.00
19-042	7-METHOXY-3(4'-METHOXYPHENYL)COUMARIN [3173-00-0] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 184-186°C	1 gm	\$84.00
19-055	7-METHOXY-3-PHENYLCOUMARIN [2555-22-8] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 122-123°C	1 gm	\$75.00
19-023	7-METHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 108-109°C	1 gm	\$90.00
M-107	7-METHOXY-4-METHYLCOUMARIN [2555-28-4] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 159-160.5°C	1 gm	\$192.00
H-101	7-METHOXYCOUMARIN [531-59-9] (Herniarin) C ₁₀ H ₈ O ₃ MW: 176.17 MP: 116.2-118.2°C	1 gm	\$40.00
19-629	7-METHYL-6-NITROCOUMARIN [53666-75-4] C ₁₀ H ₇ NO ₄ MW: 205.17 MP: 225-227.8°C	5 gm	\$200.00
020521	7-METHYLCOUMARIN [2445-83-2] C ₁₀ H ₈ O ₂ MW: 160.17 MP: 125-127°C	100 mg	\$99.00
020582	8-ACETYL-6,7-DIMETHOXYCOUMARIN C ₁₃ H ₁₂ O ₅ MW: 248.23 MP: 95.5-97°C	25 mg	\$120.00
020584	8-ACETYL-6-HYDROXY-7-METHOXYCOUMARIN C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 196.7-199°C	25 mg	\$167.00
25-004	8-ACETYL-7-HYDROXY-4-METHYLCOUMARIN [2555-29-5] C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 170-172°C	1 gm	\$120.00
020583	8-ACETYL-7-HYDROXYCOUMARIN [6748-68-1] C ₁₁ H ₈ O ₄ MW: 204.18 MP: 168-170°C	25 mg	\$120.00
020585	8-ACETYL-7-METHOXYCOUMARIN [89019-07-8] C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 116.3-117.6°C	25 mg	\$120.00
19-227	8-ALLYLOXYPSORALEN C ₁₄ H ₁₀ O ₄ MW: 242.23 MP: 80.5-81.6°C	100 mg	\$154.00
19-358	8-BROMO-3(3'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 170.8-173°C	250 mg	\$60.00
19-213	8-BROMO-3(4'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 258-260°C	1 gm	\$120.00
19-231	8-BROMO-3(4'-BROMOPHENYL)-6-CHLORO-4-PHENYLCOUMARIN C ₂₁ H ₁₁ Br ₂ ClO ₂ MW: 490.58 MP: 220.5-222.8°C	250 mg	\$156.00
19-179	8-BROMO-6-CHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₈ BrCl ₃ O ₂ MW: 418.50 MP: 210.5-213°C	1 gm	\$96.00
19-161	8-BROMO-6-CHLORO-3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ BrClO ₂ MW: 384.06 MP: 169-171°C	1 gm	\$78.00
19-238	8-BROMO-6-CHLORO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₃ MW: 365.61 MP: 231.5-232.8°C	250 mg	\$140.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-183	8-BROMO-6-CHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₃ MW: 379.63 MP: 184-185°C	1 gm	\$114.00
19-234	8-BROMO-6-CHLORO-3-CYANO-4-METHYLCOUMARIN C ₁₁ H ₅ BrClNO ₂ MW: 298.52 MP: 252-254.1°C	250 mg	\$144.00
19-740	8-BROMO-6-CHLORO-4-HYDROXYCOUMARIN C ₉ H ₄ BrClO ₃ MW: 275.49 MP: 300°C (d)	250 mg	\$64.00
19-184	8-BROMO-6-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 155.2-156.5°C	1 gm	\$120.00
19-267	8-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 217.5-219°C	250 mg	\$84.00
19-627	8-HYDROXY-7-METHOXYCOUMARIN [19492-03-6] (Daphnetin-7-methylether) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 174-176.2°C	25 mg	\$100.00
19-675	8-METHOXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 145.5-147°C	250 mg	\$60.00
19-884	8-METHOXYCOUMARIN [2445-81-0] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 88-89°C	250 mg	\$90.00
19-674	8-METHOXYCOUMARIN-3-CARBOXYLIC ACID C ₁₁ H ₈ O ₅ MW: 220.18 MP: 213.8-216°C	250 mg	\$68.00
19-335	BERGAMOTTIN [7380-40-7] (5-Geranyloxypsoralen) C ₂₁ H ₂₂ O ₄ MW: 338.40 MP: 53-54°C	25 mg	\$98.00
020550S	BERGAMOTTIN with HPLC [7380-40-7] (5-Geranyloxypsoralen) C ₂₁ H ₂₂ O ₄ MW: 338.4 MP: 59-61°C	25 mg	\$264.00
020503	BERGAPTEN [484-20-8] (5-Methoxypsoralen; Heraclin; Majudin; 5-MOP) C ₁₂ H ₈ O ₄ MW: 216.19 MP: 188°C	1 gm	\$204.00
020552S	BERGAPTEN with HPLC [484-20-8] (5-Methoxypsoralen; Heraclin; Majudin; 5-MOP) C ₁₂ H ₈ O ₄ MW: 216.19 MP: 188-191°C	20 mg	\$135.00
19-230	BERGAPTOL [486-60-2] (4-Hydroxypsoralen; 5-Hydroxypsoralen) C ₁₁ H ₆ O ₄ MW: 202.17 MP: 287-290°C	100 mg	\$180.00
020590S	BERGAPTOL with HPLC [486-60-2] (4-Hydroxypsoralen; 5-Hydroxypsoralen) C ₁₁ H ₆ O ₄ MW: 202.17 MP: 285-287°C	10 mg	\$311.00
C-106	COUMARIN [91-64-5] (1-Benzopyran-2-one) C ₉ H ₆ O ₂ MW: 146.15 MP: 68-70°C	5 gm	\$25.00
020507S	COUMARIN with GC [91-64-5] (1-Benzopyran-2-one) C ₉ H ₆ O ₂ MW: 146.15	25 mg	\$87.00
28-001	COUMARIN-6-CARBOXALDEHYDE C ₁₀ H ₆ O ₃ MW: 174.15 MP: 192-194°C	250 mg	\$40.00
28-002	COUMARIN-6-SULFONYL CHLORIDE C ₉ H ₅ ClO ₄ S MW: 244.66 MP: 110-113°C	250 mg	\$44.00
020535	COUMESTROL [479-13-0] (7,12-Dihydroxycoumestan) C ₁₅ H ₈ O ₅ MW: 268.23 MP: >380-385°C	10 mg	\$173.00
020509	DICUMAROL [66-76-2] (3,3'-Methylene-bis(4-hydroxycoumarin)) C ₁₉ H ₁₂ O ₆ MW: 336.30 MP: 286-289°C	5 gm	\$65.00
020565	DIMETHYLFRAXETIN [6035-49-0] C ₁₂ H ₁₂ O ₅ MW: 236.24 MP: 104-105°C	10 mg	\$176.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-108	ESCULETIN [305-01-1] (Cichorigenin, 6,7-Dihydroxycoumarin) C ₉ H ₆ O ₄ MW: 178.15 MP: 271-273°C	1 gm	\$45.00
020514	ESCULETIN DIBENZYLETHER [909-84-2] (6,7-Dibenzylloxycoumarin) C ₂₃ H ₁₈ O ₄ MW: 358.37 MP: ~164-166°C	100 mg	\$216.00
06-014	ESCULIN [531-75-9] (6,7-Dihydroxycoumarin-6-O-glucoside; Esculetin-6-O-glucoside) C ₁₅ H ₁₆ O ₉ MW: 340.29 MP: 208-209°C	5 gm	\$25.00
06-042	ESCULIN SESQUIHYDRATE [66778-17-4] (6,7-Dihydroxycoumarin 6-glucoside, Aesculin, Aesculinum, Esculetin-6-beta-D-glucopyranoside) MP: 195-198°C	100 gm	\$441.00
19-671	ETHYL 8-METHOXYCOUMARIN-3-CARBOXYLATE C ₁₃ H ₁₂ O ₅ MW: 248.24 MP: 94-96°C	250 mg	\$68.00
28-003	ETHYL-7-HYDROXYCOUMARIN-4-CARBOXYLATE C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 149-151°C	250 mg	\$40.00
15-002	ETHYLCOUMARIN-3-CARBOXYLATE [1846-76-0] (Coumarin-3-carboxylic acid ethyl ester) C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 93-95°C	1 gm	\$28.00
020532	FRAXETIN [574-84-5] (7,8-Dihydroxy-6-methoxycoumarin; 7,8-Dihydroxy-6-methoxy-2H-chromen-2-one) C ₁₀ H ₈ O ₅ MW: 208.17 MP: ~228°C	100 mg	\$298.00
020525	FRAXIDIN [525-21-3] (8-Hydroxy-6,7-dimethoxycoumarin) C ₁₁ H ₁₀ O ₅ MW: 222.20 MP: 196-197°C	10 mg	\$204.00
020588S	FRAXIN with HPLC [524-30-1] (Fraxetin-8-O-glucoside) C ₁₆ H ₁₈ O ₁₀ MW: 370.31 MP: ~205°C	10 mg	\$175.00
19-226	IMPERATORIN [482-44-0] (Marmelosin; Ammidin; 8-Isoamylenoxypsoralen) C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 95-99°C	25 mg	\$125.00
020519S	IMPERATORIN with HPLC [482-44-0] (Marmelosin; Ammidin; 8-Isoamylenoxypsoralen) C ₁₆ H ₁₄ O ₄ MW: 270.28 MP: 99°C	5 mg	\$120.00
020538S	ISOBERGAPTEN with HPLC [482-48-4] (5-Hydroxyangelicin methylether) C ₁₂ H ₈ O ₄ MW: 216.19 MP: 222°C	5 mg	\$205.00
19-661	ISOPIMPINELLIN [482-27-9] (4,9-Dimethoxypsoralen) C ₁₃ H ₁₀ O ₅ MW: 246.22 MP: 149-151°C	25 mg	\$120.00
020536S	ISOPIMPINELLIN with HPLC [482-27-9] (4,9-Dimethoxypsoralen; 5,9-Dimethoxypsoralen) C ₁₃ H ₁₀ O ₅ MW: 246.22 MP: 148-151°C	10 mg	\$197.00
19-852	METHYL 7-HYDROXYCOUMARIN-4-ACETATE C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 221-223°C	250 mg	\$70.00
19-853	METHYL 7-METHOXYCOUMARIN-4-ACETATE C ₁₃ H ₁₂ O ₅ MW: 248.24 MP: 121-122°C	250 mg	\$68.00
19-784	METHYL-6,7-DIHYDROXYCOUMARIN-4-ACETATE C ₁₂ H ₁₀ O ₆ MW: 250.21 MP: 253-255.6°C	250 mg	\$84.00
19-785	METHYL-6,7-DIMETHOXYCOUMARIN-4-ACETATE C ₁₄ H ₁₄ O ₆ MW: 278.26 MP: 183.8-185.8°C	250 mg	\$80.00
19-479	N-SUCCINIMIDYL-7-HYDROXY-4-METHYL-3-COUMARINNYL ACETATE [96735-88-5] C ₁₆ H ₁₃ NO ₇ MW: 331.28 MP: 225-227.5°C	50 mg	\$110.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020504	PSORALEN [66-97-7] (Ficusin) <chem>C11H6O3</chem> MW: 186.16 MP: 161-163°C	50 mg	\$195.00
020553S	PSORALEN with HPLC [66-97-7] (Ficusin) <chem>C11H6O3</chem> MW: 186.16 MP: 162-164°C	10 mg	\$120.00
020580	TRIOXSALEN [3902-71-4] (2,5,9-Trimethylpsoralen) <chem>C14H12O3</chem> MW: 228.24 MP: 234°C	1 gm	\$158.00
020530	XANTHOTOXIN [298-81-7] (Methoxsalen; 8-methoxypsoralen) <chem>C12H8O4</chem> MW: 216.19 MP: ~146°C	250 mg	\$115.00
020534	XANTHOTOXOL [2009-24-7] (8-Hydroxypsoralen) <chem>C11H6O4</chem> MW: 202.16 MP: 241-244°C	50 mg	\$201.00
19-353	XANTHOTOXOL GERANYL ETHER [7437-55-0] (8-Geranyloxypsoralen) <chem>C21H22O4</chem> MW: 338.41 MP: 54-56°C	250 mg	\$120.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Flavanones

CAT #	Product	QTY	Price
021283S	(-)-HOMOERIODICTYOL with HPLC [446-71-9] (Eriodictyonone; 5,7,4'-Trihydroxy-3'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 226-229°C	5 mg	\$252.00
021359S	(+)-3,5,7,3',4'-PENTAHYDROXYFLAVANONE with HPLC [17654-26-1] ((+)-Taxifolin, (2R,3R)-Dihydroquercetin) C ₁₅ H ₁₂ O ₇ MW: 304.26	20 mg	\$261.00
22-220	2',3'-DIMETHOXYFLAVANONE C ₁₇ H ₁₅ O ₄ MW: 283.31 MP: 93°C	100 mg	\$42.00
H-021	2'-HYDROXYFLAVANONE [17348-76-4] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 164-165°C	250 mg	\$50.00
22-316	3',4'-DIMETHOXYFLAVANONE C ₁₇ H ₁₅ O ₄ MW: 283.31 MP: 122-124°C	250 mg	\$76.00
P-101	3,5,7,3',4'-PENTAHYDROXYFLAVANONE [480-18-2] ((+/-) Taxifolin) C ₁₅ H ₁₂ O ₇ MW: 304.26 MP: 230-233°C	25 mg	\$48.00
021339S	3,7,3',4'-TETRAHYDROXYFLAVANONE with HPLC [20725-03-5] (Fustin with HPLC) C ₁₅ H ₁₂ O ₆ MW: 288.26 MP: 217-219°C	5 mg	\$478.00
H-408	3'-HYDROXYFLAVANONE C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 134-137°C	250 mg	\$20.00
19-837	4',5,7-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 125-127°C	100 mg	\$54.00
22-342	4'-HYDROXY-3'-METHOXYFLAVANONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 172-174°C	250 mg	\$90.00
H-022	4'-HYDROXYFLAVANONE [6515-37-3] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 185-185°C	250 mg	\$44.00
M-008	4'-METHOXYFLAVANONE [97005-76-0] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 92-94°C	1 gm	\$90.00
22-383	5,2',3'-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 137-138°C	50 mg	\$90.00
021247S	5,4'-DIHYDROXY-7-METHOXYFLAVANONE with HPLC [2957-21-3] (Sakuranetin with HPLC) C ₁₆ H ₁₄ O ₅ MW: 286.29 MP: 153-154°C	10 mg	\$181.00
021039	5,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVANONE [62252-10-2] C ₁₈ H ₁₈ O ₇ MW: 346.34 MP: 227-230°C	10 mg	\$462.00
021162	5,7-DIHYDROXYFLAVANONE [68745-38-0] (Pinocembrin) C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: ~190°C	10 mg	\$162.00
H-107	5,7-DIMETHOXY-4'-HYDROXYFLAVANONE C ₁₇ H ₁₆ O ₅ MW: 300.31 MP: 209-212°C	50 mg	\$96.00
D-202	5,7-DIMETHOXYFLAVANONE [1036-72-2] (Pinocembrin dimethylether) C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 143-146°C	50 mg	\$32.00
021095	5-HYDROXY-7-METHOXYFLAVANONE [480-37-5] (Pinocembrin-7-methylether, Pinostrobin) C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 99-100.6°C	25 mg	\$175.00
M-009	5-METHOXYFLAVANONE [55947-36-9] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 141-143°C	1 gm	\$96.00
22-202	6,2',3'-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 96-98°C	100 mg	\$40.00
22-321	6,2',4'-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 159-160°C	250 mg	\$52.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-339	6,2'-DIHYDROXYFLAVANONE C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 175-176°C	250 mg	\$90.00
22-224	6,3',4'-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 175-176°C	100 mg	\$35.00
22-365	6,3'-DIMETHOXYFLAVANONE C ₁₇ H ₁₅ O ₄ MW: 283.31 MP: 102-104°C	50 mg	\$60.00
19-383	6-CHLORO-3',4'-DIMETHOXYFLAVANONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 132-134°C	250 mg	\$56.00
19-382	6-CHLORO-4'-METHYLFLAVANONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 100.7-101.8°C	250 mg	\$56.00
H-023	6-HYDROXYFLAVANONE [4250-77-5] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 219-220°C	250 mg	\$24.00
M-010	6-METHOXYFLAVANONE [3034-04-6] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 141-142°C	1 gm	\$72.00
22-218	7,2',3'-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 94-95°C	100 mg	\$42.00
22-351	7,3',4',5'-TETRAMETHOXYFLAVANONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 147-149°C	100 mg	\$126.00
H-024	7-HYDROXYFLAVANONE [6515-36-2] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 188-190°C	500 mg	\$45.00
M-011	7-METHOXYFLAVANONE [21785-09-1] (7-Hydroxyflavanone methylether) C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 89-90°C	1 gm	\$96.00
19-379	8-CHLORO-4'-FLUOROFLAVANONE C ₁₅ H ₁₀ ClFO ₂ MW: 276.70 MP: 98.6-100.6°C	250 mg	\$120.00
19-381	8-CHLORO-4'-METHYLFLAVANONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 74-75°C	250 mg	\$60.00
19-380	8-CHLOROFLAVANONE [66883-86-1] C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 59-60°C	250 mg	\$52.00
021237S	BAVACHININ with HPLC [19879-30-2] (4'-Hydroxy-7-methoxy-6-prenylflavanone) C ₂₁ H ₂₂ O ₄ MW: 338.41 MP: 139-145°C	5 mg	\$214.00
021166S	DIDYMIN [14259-47-3] (Neoponcirin, Isosakuranetin-7-O-rutinoside) C ₂₈ H ₃₄ O ₁₄ MW: 594.57	10 mg	\$175.00
021351	DIHYDROMYRICETIN [27200-12-0] (3,5,7,3',4',5'-Hexahydroxyflavanone, Ampelopsin) C ₁₅ H ₁₂ O ₈ MW: 320.26	10 mg	\$105.00
021037	DIHYDROROBINETIN [70460-55-8] (3,3',4',5',7-Pentahydroxyflavanone) C ₁₅ H ₁₂ O ₇ MW: 304.27 MP: ~260°C	20 mg	\$252.00
021110S	ERIODICTRIN with HPLC [13463-28-0] (Eriodictyol-7-O-rutinoside) C ₂₇ H ₃₂ O ₁₅ MW: 596.56 MP: 161-190°C	5 mg	\$195.00
020056	ERIODICTYOL [552-58-9] (2-[3,4-Dihydroxyphenyl]2,3-dihydro-5,7-dihydroxy-4H-1benzopyran-4-one)) C ₁₅ H ₁₂ O ₆ MW: 288.26 MP: 270°C (d)	10 mg	\$30.00
021111S	ERIODICTYOL with HPLC [552-58-9] (5,7,3',4'-Tetrahydroxyflavanone with HPLC) C ₁₅ H ₁₂ O ₆ MW: 288.26 MP: 270°C	10 mg	\$195.00
021112S	ERIODICTYOL-7-O-GLUCOSIDE with HPLC [38965-51-4] (Pyracanthoside) C ₂₁ H ₂₂ O ₁₁ MW: 450.39 MP: 171-176°C	10 mg	\$268.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020058S	FLAVANOMAREIN with HPLC [577-38-8] (Isookanin-7-O-glucoside; 3',4',7,8-Tetrahydroxyflavanone-7-O-glucoside) C ₂₁ H ₂₂ O ₁₁ MW: 450.39 MP: 243-246°C	10 mg	\$311.00
D-001	FLAVANONE [487-26-3] (2,3-Dihydroflavone) C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 76-78°C	25 gm	\$70.00
16-003	FLAVANONE AZINE C ₃₀ H ₂₄ N ₂ O ₂ MW: 444.55	100 mg	\$315.00
021208	FLAVANONE DIACETYL HYDRAZONE C ₁₉ H ₁₈ N ₂ O ₃ MW: 322.35 MP: 149-151°C	50 mg	\$120.00
021209	FLAVANONE HYDRAZONE [1692-46-2] C ₁₅ H ₁₄ N ₂ O MW: 238.28	50 mg	\$80.00
H-103	HESPERETIN [520-33-2] (5,7,3'-Trihydroxy-4'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 229-231°C	1 gm	\$25.00
021115S	HESPERETIN with HPLC [520-33-2] (5,7,3'-Trihydroxy-4'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 229-231°C	10 mg	\$140.00
06-017	HESPERIDIN [520-26-3] (Hesperetin-7-O-rutinoside) C ₂₈ H ₃₄ O ₁₅ MW: 610.57 MP: 246-248.5°C	5 gm	\$91.00
021116S	HESPERIDIN with HPLC [520-26-3] (Hesperetin-7-O-rutinoside) C ₂₈ H ₃₄ O ₁₅ MW: 610.57 MP: 257-261°C	10 mg	\$125.00
020091	HOMOERIODICTYOL [107657-60-3] (4',5,7-Trihydroxy-3'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 223-225°C	50 mg	\$549.00
021118S	HOMOERIODICTYOL with HPLC [107657-60-3] (4',5,7-Trihydroxy-3'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 225-227°C	10 mg	\$196.00
020090	ISOSAKURANETIN [480-43-3] (5,7-Dihydroxy-4'-methoxyflavanone) C ₁₆ H ₁₄ O ₅ MW: 286.29 MP: 193-195°C	25 mg	\$220.00
021122S	ISOSAKURANETIN with HPLC [480-43-3] (5,7-Dihydroxy-4'-methoxyflavanone) C ₁₆ H ₁₄ O ₅ MW: 286.29 MP: 196-197°C	10 mg	\$188.00
021150S	LIQUIRITIGENIN with HPLC [578-86-9] (7,4'-Dihydroxyflavanone) C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 206-208°C	10 mg	\$242.00
N-101	NARINGENIN [480-41-1] (5,7,4'-Trihydroxyflavanone; 2,3-dihydro-5,7-dihydroxy-2-(4-hydroxyphenyl)-4H-1-benzopyran-4-one) C ₁₅ H ₁₂ O ₅ MW: 272.26 MP: 244-245°C	5 gm	\$25.00
021128S	NARINGENIN with HPLC [480-41-1] (5,7,4'-Trihydroxyflavanone) C ₁₅ H ₁₂ O ₅ MW: 272.26 MP: 254-256°C	10 mg	\$105.00
021160S	NARINGENIN-7-O-GLUCOSIDE with HPLC [529-55-5] (Prunin with HPLC) C ₂₁ H ₂₂ O ₁₀ MW: 434.39 MP: 222-224°C	10 mg	\$207.00
06-020	NARINGIN [10236-47-2] (Naringenin-7-O-neohesperidoside) C ₂₇ H ₃₂ O ₁₄ MW: 580.54 MP: 250°C	100 gm	\$95.00
021129S	NARINGIN with HPLC [10236-47-2] (Naringenin-7-O-neohesperidoside) C ₂₇ H ₃₂ O ₁₄ MW: 580.54 MP: 171°C	10 mg	\$120.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021130S	NARIRUTIN with HPLC [14259-46-2] (Naringenin-7-O-rutinoside; Isonaringin) C ₂₇ H ₃₂ O ₁₄ MW: 580.54 MP: 155-165°C	5 mg	\$175.00
021131S	NEOERIOCTRIN with HPLC [13241-32-2] (Eriodictyol-7-O-neohesperidoside) C ₂₇ H ₃₂ O ₁₅ MW: 596.54 MP: 227-234°C	10 mg	\$306.00
021132S	NEOHESPERIDIN with HPLC [13241-33-3] (Hesperetin-7-O-neohesperidoside) C ₂₈ H ₃₄ O ₁₅ MW: 610.57 MP: 244°C	10 mg	\$224.00
021133S	PONCIRIN with HPLC [14941-08-3] (Isosakuranetin-7-O-neohesperidoside) C ₂₈ H ₃₄ O ₁₄ MW: 594.57 MP: 177°C	10 mg	\$234.00
021040	SILYBIN [22888-70-6] (Silymarin) C ₂₅ H ₂₂ O ₁₀ MW: 482.44 MP: 164-174°C	1 gm	\$147.00
22-410	α-NAPHTHOFLAVANONE C ₁₉ H ₁₄ O ₂ MW: 274.32 MP: 127-127°C	100 mg	\$105.00
22-402	β-NAPHTHOFLAVANONE MW: 272.32 MP: 116-117°C	100 mg	\$96.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Flavones

CAT #	Product	QTY	Price
19-923	2',3',4'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 252-255°C	100 mg	\$70.00
D-406	2',3'-DIHYDROXYFLAVONE [2554-85-0] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 246-248°C	100 mg	\$25.00
22-219	2',3'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 168-169°C	100 mg	\$36.00
D-603	2',3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 81-85°C	250 mg	\$38.00
D-407	2',4'-DIHYDROXYFLAVONE [170310-00-6] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 285-286°C	100 mg	\$28.00
22-304	2',4'-DIMETHOXY-3-HYDROXY-6-METHYLFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 231-233°C	250 mg	\$58.00
22-211	2',4'-DIMETHOXY-3-HYDROXYFLAVONE [95382-87-9] C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 198-201°C	100 mg	\$36.00
D-420	2',4'-DIMETHOXYFLAVONE [63487-16-1] C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 128-130°C	100 mg	\$35.00
19-834	2',5'-DIMETHOXY-6-FLUOROFLAVONE C ₁₇ H ₁₃ FO ₄ MW: 300.29 MP: 160-161.7°C	100 mg	\$54.00
19-833	2',5'-DIMETHOXYFLAVONE [74670-10-3] C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 108.5-112°C	100 mg	\$65.00
19-203	2',6'-DICHLORO-7-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 182.3-184.7°C	1 gm	\$99.00
19-386	2'-BROMO-6-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 146-148°C	250 mg	\$60.00
26-2818	2'-CHLORO-6-FLUOROFLAVONE MW: 274.68	1 gm	\$185.00
19-211	2'-CHLORO-6-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 98.8-99.9°C	1 gm	\$108.00
19-210	2'-CHLOROFLAVONE C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 119-120°C	1 gm	\$114.00
H-409	2'-HYDROXYFLAVONE C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 247-249°C	1 gm	\$45.00
H-510	2'-HYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 299-300°C	250 mg	\$84.00
H-603	2'-HYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 280-282°C	100 mg	\$35.00
22-361	2'-METHOXY-6-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.3 MP: 111-113°C	100 mg	\$54.00
M-404	2'-METHOXY-a-NAPHTHOFLAVONE (2'-Methoxy-7,8-benzoflavone) C ₂₀ H ₁₄ O ₃ MW: 302.31 MP: 164-165°C	250 mg	\$49.00
M-405	2'-METHOXY-b-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.33 MP: 188-189°C	250 mg	\$32.00
M-012	2'-METHOXYFLAVONE [19725-47-4] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 100-105°C	1 gm	\$32.00
22-381	3,2',4',5',6-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 139-141°C	50 mg	\$81.00
22-382	3,2',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 111-114°C	50 mg	\$87.00
D-252	3,2'-DIHYDROXYFLAVONE [6068-76-4] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 200-202°C	250 mg	\$78.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-421	3,2'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 145-147°C	100 mg	\$25.00
T-601	3,3',4'-TRIHYROXYFLAVONE [6068-78-6] (3',4'-Dihydroxyflavonol) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 294-297°C	100 mg	\$48.00
22-356	3,3',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 167-169°C	250 mg	\$90.00
22-399	3,3',7,8-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 121-123°C	50 mg	\$81.00
D-602	3,3'-DIHYDROXYFLAVONE [55977-09-8] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 229-233°C	250 mg	\$36.00
D-422	3,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 86-88°C	100 mg	\$28.00
021342	3',4',5,7-TETRAHYDROXY-3-METHOXYFLAVONE [1486-70-0] (Quercetin-3-methylether, 3-O-Methylquercetin) C ₁₆ H ₁₂ O ₇ MW: 316.27 MP: >300°C	5 mg	\$394.00
D-413	3',4'-DIHYDROXY-a-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₄ MW: 304.29 MP: 316-318°C	100 mg	\$30.00
D-414	3',4'-DIHYDROXY-b-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₄ MW: 304.29 MP: 310-312°C	100 mg	\$30.00
D-258	3',4'-DIHYDROXYFLAVONE [4143-64-0] (4-Hydroxyflavonol) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 250-252°C	100 mg	\$45.00
22-206	3,4'-DIHYDROXYFLAVONE [14919-49-4] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 275-276°C	100 mg	\$38.00
22-317	3',4'-DIMETHOXY-3-HYDROXY-6-METHYLFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 200-201°C	250 mg	\$76.00
D-604	3',4'-DIMETHOXY-3-HYDROXYFLAVONE (3',4-Dimethoxyflavonol) C ₁₇ H ₁₄ O ₅ MW: 298.28 MP: 203-205.5°C	250 mg	\$30.00
T-110	3,4'-DIMETHOXY-5,7,3'-TRIHYROXYFLAVONE [33429-83-3] (5,7,3'-Trihydroxyflavone-3,4'-dimethoxyflavone) C ₁₇ H ₁₄ O ₇ MW: 330.3 MP: 229-230°C	5 mg	\$96.00
D-432	3',4'-DIMETHOXY-a-NAPHTHOFLAVONE [14756-24-2] C ₂₁ H ₁₆ O ₄ MW: 332.36 MP: 191-193°C	100 mg	\$28.00
D-433	3',4'-DIMETHOXY-b-NAPHTHOFLAVONE C ₂₁ H ₁₆ O ₄ MW: 332.34 MP: 167-168°C	25 mg	\$54.00
D-204	3',4'-DIMETHOXYFLAVONE [4143-62-8] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 153-155°C	100 mg	\$35.00
D-423	3,4'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 106-108°C	250 mg	\$26.00
M-116	3,5,7-TRIHYROXY-3',4',5'-TRIMETHOXYFLAVONE [146132-95-8] (Myricetin trimethyl ether) C ₁₈ H ₁₆ O ₈ MW: 360.32 MP: >300°C (d)	10 mg	\$186.00
19-868	3',5'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 253-256°C	100 mg	\$45.00
D-408	3,5-DIHYDROXYFLAVONE [6665-69-6] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 146-147°C	100 mg	\$65.00
021239S	3',5'-DIMETHOXY-3,5,7,4'-TETRAHYDROXYFLAVONE with HPLC [4423-37-4] (Syringetin) C ₁₇ H ₁₄ O ₈ MW: 346.29 MP: 287-289°C	10 mg	\$266.00
D-424	3,5-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3	100 mg	\$40.00
22-318	3,6,2',3'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 269-270°C	250 mg	\$56.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-319	3,6,2',3'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 132-133°C	250 mg	\$60.00
22-387	3,6,2',4',5'-PENTAHYDROXYFLAVONE (C ₁₅ H ₁₀ O ₇ MW: 302.24 MP: >300°C	100 mg	\$117.00
22-205	3,6,2',4'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 284-285°C	100 mg	\$38.00
22-355	3,6,2'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 239.7-245.6°C	250 mg	\$68.00
22-352	3,6,2'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 113-115°C	250 mg	\$90.00
22-344	3,6,3',4'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 335-336°C	250 mg	\$88.00
22-309	3,6,3',4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 165-167°C	250 mg	\$52.00
22-334	3,6,3'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 300°C	250 mg	\$64.00
22-335	3,6,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 117-119°C	250 mg	\$60.00
T-405	3,6,4'-TRIHYDROXYFLAVONE [253195-19-6] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 338-340°C	100 mg	\$45.00
D-256	3,6-DIHYDROXYFLAVONE [108238-41-1] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 233-238°C	100 mg	\$35.00
D-425	3,6-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 128-130°C	250 mg	\$26.00
22-388	3,7,2',4',5'-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 171-173°C	100 mg	\$90.00
P-103	3,7,3',4',5'-PENTAHYDROXYFLAVONE [490-31-3] (Robinetin) C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 326-328°C	10 mg	\$78.00
021138S	3,7,3',4',5'-PENTAHYDROXYFLAVONE with HPLC [490-31-3] (Robinetin) C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 326-328°C (d)	10 mg	\$261.00
22-346	3,7,3',4',5'-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 148-149°C	50 mg	\$110.00
22-327	3,7,3'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 298-300°C	250 mg	\$60.00
22-328	3,7,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 118-120°C	250 mg	\$68.00
T-251	3,7,4'-TRIHYDROXYFLAVONE [2034-65-3] (5-Deoxykaempferol, Resokaempferol) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 310-311°C	50 mg	\$51.00
22-406	3,7,8,2',4'-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 145-147°C	50 mg	\$80.00
22-392	3,7,8,2'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	50 mg	\$55.00
22-394	3,7,8,2'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 93-95°C	50 mg	\$63.00
22-400	3,7,8,4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 147-149°C	50 mg	\$64.00
D-124	3,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE [132594-09-3] (Robinetin trimethylether) C ₁₈ H ₁₆ O ₇ MW: 344.33 MP: 208-210°C	5 mg	\$176.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-111	3,7-DIHYDROXY-3',4'-DIMETHOXYFLAVONE [93322-61-3] (Fisetin-3',4'-dimethyl ether) C ₁₇ H ₁₄ O ₆ MW: 314.29 MP: 225-226°C	50 mg	\$78.00
D-257	3,7-DIHYDROXYFLAVONE [492-00-2] (7-Hydroxyflavonol) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 257-259°C	250 mg	\$40.00
D-426	3,7-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 121-122°C	250 mg	\$32.00
B-105	3'-BENZYLOXY-5,6,7,4'-TETRAMETHOXYFLAVONE [21764-08-9] C ₂₆ H ₂₄ O ₇ MW: 448.47 MP: 96-98°C	25 mg	\$70.00
22-379	3'-HYDROXY-2',4',5',6'-TETRAMETHOXYFLAVONE () C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 198-200°C	50 mg	\$76.00
22-375	3-HYDROXY-2',4',5'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 181-183°C	250 mg	\$70.00
H-252	3-HYDROXY-2'-METHOXYFLAVONE [29219-03-2] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 211-212°C	250 mg	\$30.00
22-308	3-HYDROXY-3',4',5'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 188-190°C	250 mg	\$56.00
H-415	3-HYDROXY-3'-METHOXYFLAVONE [76666-32-5] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 128-134°C	100 mg	\$30.00
22-306	3-HYDROXY-4'-METHOXY-6-METHYLFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.28 MP: 192-193°C	250 mg	\$52.00
H-253	3-HYDROXY-4'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 233-234.5°C	100 mg	\$35.00
H-114	3'-HYDROXY-5,6,7,4'-TETRAMETHOXYFLAVONE [21764-09-0] (Eupatorin-5-methylether) C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 174-176°C	50 mg	\$70.00
H-416	3-HYDROXY-5-METHOXYFLAVONE [6665-81-2] (5-Methoxyflavonol) C ₁₆ H ₁₂ O ₄ MW: 268.27	250 mg	\$56.00
22-215	3-HYDROXY-6,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 214-215°C	100 mg	\$32.00
22-204	3-HYDROXY-6,2',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 191-193°C	100 mg	\$38.00
22-404	3-HYDROXY-6,3',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 162-163°C	50 mg	\$80.00
22-222	3-HYDROXY-6,3',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 189-190°C	100 mg	\$39.00
H-417	3-HYDROXY-6-METHOXYFLAVONE [93176-00-2] (6-Methoxyflavonol) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 203-204°C	100 mg	\$45.00
22-386	3-HYDROXY-6-METHYL-3',4'-METHYLENEDIOXYFLAVONE C ₁₇ H ₁₂ O ₅ MW: 296.28 MP: 196-198°C	50 mg	\$72.00
22-407	3'-HYDROXY-6-METHYL-4'-METHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 192-194°C	-	INQUIRE
22-363	3'-HYDROXY-6-METHYLFLAVONE [468060-75-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 199.5-201.5°C	250 mg	\$90.00
M-407	3-HYDROXY-6-METHYLFLAVONE (6-Methylflavonol) C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 201-203°C	1 gm	\$43.00
22-216	3-HYDROXY-7,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 156-157°C	100 mg	\$30.00
22-201	3-HYDROXY-7,2',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 204-205°C	100 mg	\$34.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-345	3-HYDROXY-7,3',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 194-195°C	100 mg	\$95.00
22-403	3-HYDROXY-7,8,2',3'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 165-166°C	100 mg	\$98.00
22-405	3-HYDROXY-7,8,2',4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 209-211°C	50 mg	\$75.00
22-390	3-HYDROXY-7,8,2'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 217-218°C	50 mg	\$68.00
22-391	3-HYDROXY-7,8,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 187-189°C	50 mg	\$57.00
22-398	3-HYDROXY-7,8,4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 198-200°C	50 mg	\$81.00
H-418	3-HYDROXY-7-METHOXYFLAVONE [7478-60-6] (7-Methoxyflavonol) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 177-180°C	500 mg	\$45.00
H-410	3'-HYDROXYFLAVONE [70460-18-3] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 206-208°C	100 mg	\$35.00
F-004	3-HYDROXYFLAVONE [577-85-5] (Flavonol) C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 170-172°C	25 gm	\$98.00
22-331	3'-HYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 257-261°C	250 mg	\$84.00
22-332	3'-HYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 288-290°C	250 mg	\$80.00
22-359	3'-METHOXY-6-METHYLFLAVONE [88952-78-7] C ₁₇ H ₁₄ O ₃ MW: 266.3 MP: 133-135°C	100 mg	\$58.00
22-360	3'-METHOXY-8-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.3 MP: 146-147°C	100 mg	\$54.00
22-409	3'-METHOXY-α-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.33 MP: 187-188°C	-	INQUIRE
M-601	3'-METHOXYFLAVONE [53906-83-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 132-134°C	250 mg	\$45.00
021188	3-METHOXYFLAVONE [7245-02-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 113-114°C	100 mg	\$96.00
19-887	4'-BENZYLOXY-5,7-DIMETHOXYFLAVONE C ₂₄ H ₂₀ O ₅ MW: 388.42 MP: 180-182°C	50 mg	\$81.00
19-316	4'-BROMO-6-CHLORO-7-METHYLFLAVONE C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 239-240.5°C	250 mg	\$64.00
19-315	4'-BROMO-6-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 250-251.7°C	250 mg	\$60.00
19-318	4'-BROMO-6-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 212-214°C	250 mg	\$64.00
17-041	4'-CHLORO-6,8-DIBROMOFLAVONE C ₁₅ H ₇ Br ₂ ClO ₂ MW: 414.48 MP: 248-253°C	1 gm	\$75.00
26-2819	4'-CHLORO-6-FLUOROFLAVONE MW: 274.68	1 gm	\$195.00
17-044	4'-CHLORO-6-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 202-205°C	1 gm	\$72.00
17-042	4'-CHLOROFLAVONE C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 168-170°C	1 gm	\$63.00
H-419	4'-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 192-194°C	100 mg	\$35.00
M-401	4'-HYDROXY-5-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 256-258°C	100 mg	\$84.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

M-402	4'-HYDROXY-6-METHOXYFLAVONE [4002-52-2] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 229-231°C	100 mg	\$30.00
22-364	4'-HYDROXY-6-METHYLFLAVONE [288401-04-7] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 240.5-242.5°C	250 mg	\$84.00
M-403	4'-HYDROXY-7-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-260°C	100 mg	\$30.00
H-411	4'-HYDROXYFLAVONE [4143-63-9] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 268-270°C	100 mg	\$30.00
H-432	4'-HYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 316-318°C	100 mg	\$30.00
H-433	4'-HYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 303-305°C	250 mg	\$30.00
M-409	4'-METHOXY-6-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.3 MP: 170-171°C	100 mg	\$28.00
M-410	4'-METHOXY-8-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.3 MP: 151-154°C	100 mg	\$28.00
M-251	4'-METHOXY-a-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.31 MP: 180-181°C	250 mg	\$28.00
M-252	4'-METHOXY-b-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.31 MP: 164-165°C	250 mg	\$40.00
M-013	4'-METHOXYFLAVONE [4143-74-2] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 157-158°C	250 mg	\$60.00
M-408	4'-METHOXYFLAVONOL [6889-78-7] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 233-234°C	100 mg	\$32.00
19-311	4'-METHYLFLAVONE C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 114-115.3°C	250 mg	\$40.00
D-253	5,2'-DIHYDROXYFLAVONE [6674-39-1] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 268-269°C	10 mg	\$55.00
D-263	5,2'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 179-180°C	250 mg	\$30.00
T-406	5,3',4'-TRIHYDROXYFLAVONE [19852-25-6] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 310-312°C	100 mg	\$45.00
D-123	5,3'-DIHYDROXY-6,7,4'-TRIMETHOXYFLAVONE [855-96-9] (Eupatorin) C ₁₈ H ₁₆ O ₇ MW: 344.33 MP: 188.3-192.3°C	25 mg	\$78.00
D-409	5,3'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 250-252°C	250 mg	\$60.00
D-427	5,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 124-127°C	100 mg	\$54.00
D-115	5,4'-DIHYDROXY-7-METHOXYFLAVONE [437-64-9] (Genkwanin, 7-Methoxyapigenin) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 288-290°C	50 mg	\$78.00
D-251	5,4'-DIHYDROXYFLAVONE [6665-67-4] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 247-250°C	250 mg	\$92.00
D-260	5,4'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 161-163°C	250 mg	\$30.00
H-205	5,6,7,3',4',5'-HEXAMETHOXYFLAVONE [29043-07-0] C ₂₁ H ₂₂ O ₈ MW: 402.4 MP: 163-164°C	10 mg	\$62.00
P-201	5,6,7,3',4'-PENTAMETHOXYFLAVONE [2306-27-6] (Sinensetin) C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 174-176°C	10 mg	\$265.00
021326S	5,6,7,3',4'-PENTAMETHOXYFLAVONE with HPLC [2306-27-6] (Sinensetin with HPLC) C ₂₀ H ₂₀ O ₇ MW: 372.38	5 mg	\$175.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

B-002	5,6-BENZOFLAVONE [6051-87-2] (b-Naphthoflavone) C ₁₉ H ₁₂ O ₂ MW: 272.30 MP: 164-165°C	10 gm	\$75.00
D-116	5,6-DIHYDROXY-7-METHOXYFLAVONE [29550-13-8] (Baicalein-7-methylether) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 216-222°C	50 mg	\$45.00
22-357	5,6-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 189-190°C	100 mg	\$58.00
T-407	5,7,2'-TRIHYDROXYFLAVONE [73046-40-9] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: >270°C	100 mg	\$40.00
22-362	5,7,2'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 178-189°C	100 mg	\$69.00
22-340	5,7,3',4',5'-PENTAHYDROXYFLAVONE [520-31-0] C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 356-360°C	250 mg	\$80.00
021335S	5,7,3',4',5'-PENTAHYDROXYFLAVONE with HPLC [520-31-0] (Tricetin with HPLC) C ₁₅ H ₁₀ O ₇ MW: 302.24	5 mg	\$259.00
P-202	5,7,3',4',5'-PENTAMETHOXYFLAVONE [53350-26-8] C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 190-192°C	10 mg	\$85.00
L-102	5,7,3',4'-TETRAMETHOXYFLAVONE [855-97-0] (Luteolin tetramethylether) C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 190-195°C	10 mg	\$39.00
22-358	5,7,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 147-150°C	100 mg	\$65.00
A-106	5,7,4'-TRIMETHOXYFLAVONE [5631-70-9] (Apigenin-4',5,7-trimethyl ether) C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 157-160°C	500 mg	\$152.00
021225	5,7,8-TRIHYDROXYFLAVONE [4443-09-8] (Norwogonin) C ₁₅ H ₁₀ O ₅ MW: 270.25	5 mg	\$637.00
021106S	5,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE with HPLC [18103-42-9] (Tricetin trimethylether) C ₁₈ H ₁₆ O ₇ MW: 344.33 MP: 266-276°C	5 mg	\$338.00
021304S	5,7-DIHYDROXY-8-METHOXYFLAVONE [632-85-9] (Wogonin) C ₁₆ H ₁₂ O ₅ MW: 284.27	5 mg	\$105.00
C-005	5,7-DIHYDROXYFLAVONE [480-40-0] (Chrysin; 5,7,-dihydroxy-2-phenyl-4h-1-benzopyran-4-one) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 284-286°C	5 gm	\$80.00
22-385	5,7-DIMETHOXY-3-HYDROXYFLAVONE [15236-07-4] C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 175-176°C	100 mg	\$87.00
021010	5,7-DIMETHOXYFLAVONE [21392-57-4] (Chrysin dimethylether, Methylated chrysin) C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 153-155°C	100 mg	\$133.00
021260	5,8-DIHYDROXY-3,7,3',4'-TETRAMETHOXYFLAVONE [7380-44-1] (Gossypetin-3,7,3',4'-Tetramethylether) C ₁₉ H ₁₈ O ₈ MW: 374.33	5 mg	\$795.00
H-421	5-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27	100 mg	\$40.00
H-110	5-HYDROXY-7-METHOXYFLAVONE [520-28-5] (Methyl chrysin, Tectochrysin) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 166-168°C	50 mg	\$65.00
H-025	5-HYDROXYFLAVONE [491-78-1] (Primuletin) C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 155-156°C	5 gm	\$148.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

M-014	5-METHOXYFLAVONE [42079-78-7] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 126-129°C	1 gm	\$19.00
22-324	6,2',3'-TRIHYROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 278-280°C	250 mg	\$60.00
22-323	6,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 116-118°C	250 mg	\$60.00
22-322	6,2',4'-TRIMETHOXYFLAVONE [720675-90-1] C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 189-191°C	250 mg	\$56.00
19-201	6,2'-DICHLOROFLAVONE C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 154.8-156°C	1 gm	\$90.00
D-254	6,2'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 300-304°C	250 mg	\$80.00
22-349	6,2'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 186-188°C	250 mg	\$78.00
D-264	6,2'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 145-146°C	250 mg	\$31.00
19-329	6,2'-DIMETHYLFLAVONE C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 129.2-130.3°C	250 mg	\$56.00
T-408	6,3',4'-TRIHYROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 326-328°C	100 mg	\$40.00
D-410	6,3'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: >270°C	100 mg	\$30.00
22-333	6,3'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 144-145°C	250 mg	\$60.00
D-428	6,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 155-156°C	100 mg	\$30.00
19-330	6,3'-DIMETHYLFLAVONE C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 137-138.5°C	250 mg	\$60.00
19-327	6,4'-DIBROMOFLAVONE C ₁₅ H ₈ Br ₂ O ₂ MW: 380.04 MP: 249.5-251.1°C	250 mg	\$60.00
17-111	6,4'-DICHLORO-7-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 222-224°C	1 gm	\$66.00
17-105	6,4'-DICHLOROFLAVONE C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 235-237°C	1 gm	\$66.00
D-250	6,4'-DIHYDROXYFLAVONE [63046-09-3] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 340-345°C	250 mg	\$39.00
H-601	6,4'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 181-185°C	250 mg	\$45.00
D-265	6,4'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 194-195°C	250 mg	\$32.00
22-393	6,7,3',4'-TETRAHYDROXYFLAVONE [92915-82-7] C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	50 mg	\$65.00
22-395	6,7,3',4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 218-219°C	50 mg	\$70.00
22-336	6,7,3'-TRIHYROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 305-307°C	100 mg	\$45.00
D-112	6,7-DIHYDROXYFLAVONE [38183-04-9] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 253-254°C	100 mg	\$30.00
D-429	6,7-DIMETHOXYFLAVONE [26964-27-2] C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 188-189°C	100 mg	\$35.00
19-208	6,8,2'-TRICHLOROFLAVONE C ₁₅ H ₇ Cl ₃ O ₂ MW: 325.59 MP: 192.8-193.9°C	1 gm	\$114.00
17-156	6,8,4'-TRICHLOROFLAVONE C ₁₅ H ₇ Cl ₃ O ₂ MW: 325.59 MP: 253-257°C	1 gm	\$78.00



INDOFINE Chemical Company, Inc.

Phone: (908) 359-6778 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

17-092	6,8-DIBROMOFLAVONE [42079-81-2] C ₁₅ H ₈ Br ₂ O ₂ MW: 380.04 MP: 169-175°C	1 gm	\$72.00
19-328	6,8-DICHLORO-2'-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 152.2-153.5°C	250 mg	\$64.00
19-308	6,8-DICHLORO-4'-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 173-174.6°C	250 mg	\$50.00
17-106	6,8-DICHLOROFLAVONE [100914-20-3] C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 163-168°C	1 gm	\$72.00
19-180	6-BROMO-2'-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 164.2-165.4°C	1 gm	\$114.00
19-319	6-BROMO-2'-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 118.2-119.5°C	250 mg	\$60.00
19-320	6-BROMO-3'-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 131-132°C	250 mg	\$56.00
17-018	6-BROMO-4'-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 234-236°C	1 gm	\$120.00
19-298	6-BROMO-4'-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 196.2-197.8°C	250 mg	\$40.00
17-024	6-BROMOFLAVONE [1218-80-0] C ₁₅ H ₉ BrO ₂ MW: 301.14 MP: 192-194°C	1 gm	\$66.00
19-831	6-CHLORO-2',5'-DIMETHOXY-7-METHYLFLAVONE C ₁₈ H ₁₅ ClO ₄ MW: 330.77 MP: 187-189.8°C	100 mg	\$58.00
19-322	6-CHLORO-2',7-DIMETHYLFLAVONE C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 157.5-159.5°C	250 mg	\$64.00
19-326	6-CHLORO-2'-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 136-137.1°C	250 mg	\$64.00
19-323	6-CHLORO-3',7-DIMETHYLFLAVONE C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 143.8-144.8°C	250 mg	\$60.00
19-300	6-CHLORO-4',7-DIMETHYLFLAVONE C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 178.3-179.7°C	250 mg	\$50.00
19-301	6-CHLORO-4'-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 187.3-189.3°C	250 mg	\$44.00
17-069	6-CHLORO-7-METHYLFLAVONE [147919-60-6] C ₁₆ H ₁₁ ClO ₂ MW: 270.71 MP: 174-176°C	1 gm	\$66.00
17-043	6-CHLOROFLAVONE [10420-73-2] C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 184-186°C	1 gm	\$60.00
H-423	6-HYDROXY-2'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 229-231°C	100 mg	\$20.00
H-424	6-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 229-231°C	100 mg	\$25.00
H-500	6-HYDROXY-4'-METHOXYFLAVONE [35794-88-8] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 250-252°C	100 mg	\$25.00
H-602	6-HYDROXY-7-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 203-204°C	250 mg	\$39.00
H-026	6-HYDROXYFLAVONE [6665-83-4] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 231-232°C	25 gm	\$192.00
H-406	6-HYDROXYFLAVONE-β-D-GLUCOSIDE [20594-05-2] C ₂₁ H ₂₀ O ₈ MW: 400.38 MP: 238-240°C	20 mg	\$25.00
M-015	6-METHOXYFLAVONE [26964-24-9] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 162-164°C	1 gm	\$131.00
021084	6-METHOXYLUTEOLIN [520-11-6] (Eupafolin, Nepetin) C ₁₆ H ₁₂ O ₇ MW: 316.28 MP: 267°C	5 mg	\$251.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

M-022	6-METHYLFLAVONE [29976-75-8] C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 122-123°C	250 mg	\$87.00
22-329	7,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 107-108°C	250 mg	\$68.00
22-330	7,2',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 136-138°C	250 mg	\$64.00
D-255	7,2'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 318-320°C	250 mg	\$39.00
22-354	7,2'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 205.3-206.8°C	250 mg	\$64.00
D-266	7,2'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 176-177°C	250 mg	\$31.00
22-341	7,3',4',5'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 336-338°C	250 mg	\$92.00
22-320	7,3',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 190-191°C	250 mg	\$64.00
T-414	7,3',4'-TRIHYDROXYFLAVONE [2150-11-0] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 330-332°C	100 mg	\$37.00
T-204	7,3',4'-TRIMETHOXYFLAVONE [22395-24-0] C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 179-181°C	250 mg	\$104.00
D-411	7,3'-DIHYDROXYFLAVONE [108238-40-0] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: >270°C	250 mg	\$32.00
22-326	7,3'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 168-170°C	250 mg	\$64.00
D-430	7,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 152-153°C	250 mg	\$28.00
D-412	7,4'-DIHYDROXYFLAVONE [2196-14-7] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 324-325°C	250 mg	\$90.00
22-301	7,4'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 196-197°C	250 mg	\$48.00
D-431	7,4'-DIMETHOXYFLAVONE [20979-50-4] C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 154-156°C	250 mg	\$31.00
T-410	7,8,2'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 298-299°C	100 mg	\$38.00
T-201	7,8,3',4'-TETRAHYDROXYFLAVONE [3440-24-2] C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 309-310°C	250 mg	\$116.00
T-202	7,8,3',4'-TETRAMETHOXYFLAVONE [65548-55-2] C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 205-207°C	250 mg	\$112.00
T-411	7,8,3'-TRIHYDROXYFLAVONE [137502-84-2] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 309-311°C	100 mg	\$38.00
T-412	7,8,4'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 312-314°C	250 mg	\$34.00
B-003	7,8-BENZOFLAVONE [604-59-1] (a-Naphthoflavone) C ₁₉ H ₁₂ O ₂ MW: 272.3 MP: 156-158°C	10 gm	\$40.00
D-008	7,8-DIHYDROXYFLAVONE [38183-03-8] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 245-247°C	1 gm	\$65.00
D-024	7,8-DIMETHOXYFLAVONE [65548-54-1] C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 151-152°C	1 gm	\$250.00
H-425	7-HYDROXY-2'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 256-258°C	250 mg	\$40.00
H-426	7-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 281-283°C	-	INQUIRE



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

H-440	7-HYDROXY-3-METHYLFLAVONE [18651-15-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 278°C	100 mg	\$35.00
H-427	7-HYDROXY-4'-METHOXYFLAVONE [487-24-1] (Pratol) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 263-264°C	1 gm	\$78.00
021134S	7-HYDROXY-4'-METHOXYFLAVONE with HPLC [487-24-1] (Pratol with HPLC) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 263-264°C	10 mg	\$263.00
H-439	7-HYDROXY-5-METHYLFLAVONE [15235-99-1] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 302-304°C	100 mg	\$60.00
H-027	7-HYDROXYFLAVONE [6665-86-7] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 241-242°C	25 gm	\$270.00
M-016	7-METHOXYFLAVONE [22395-22-8] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 110-111°C	5 gm	\$116.00
19-209	8-BROMO-2',6-DICHLOROFLAVONE C ₁₅ H ₇ BrCl ₂ O ₂ MW: 370.04 MP: 192.7-193.7°C	1 gm	\$108.00
19-829	8-BROMO-6-CHLORO-2',5'-DIMETHOXYFLAVONE C ₁₇ H ₁₂ BrClO ₄ MW: 395.64 MP: 189.8-190.2°C	100 mg	\$50.00
16-001	8-CARBOXY-3-METHYLFLAVONE [3468-01-7] (3-Methylflavone-8-carboxylic acid) C ₁₇ H ₁₂ O ₄ MW: 280.28 MP: 234-236°C	1 gm	\$25.00
H-428	8-HYDROXY-7-METHOXYFLAVONE [40316-76-5] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 226-227°C	100 mg	\$28.00
M-406	8-METHYLFLAVONE [70794-01-3] C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 168-169.8°C	250 mg	\$29.00
020072	ACACETIN [480-44-4] (5,7-Dihydroxy-4'-methoxyflavone; Apigenin-4'-methylether, Linarigenin) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 263-266°C	100 mg	\$432.00
021101S	ACACETIN with HPLC [480-44-4] (5,7-Dihydroxy-4'-methoxyflavone; Apigenin-4'-methylether, Linarigenin) C ₁₆ H ₁₂ O ₅ MW: 284.27	10 mg	\$258.00
021057S	AMENTOFLAVONE with HPLC [1617-53-4] (4',4'',5,5'',7,7''-Hexahydroxy-3'',8-biflavone; 3',8''-Biapigenin) C ₃₀ H ₁₈ O ₁₀ MW: 538.46 MP: >300°C	20 mg	\$205.00
021021S	AMENTOFLAVONE-4',4'',7''-TRIMETHYLETHER with HPLC [521-34-6] (Sciadopitysin) C ₃₃ H ₂₄ O ₁₀ MW: 580.54 MP: 296-298°C	10 mg	\$295.00
A-002	APIGENIN [520-36-5] (5,7,4'-Trihydroxyflavone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 345-350°C	1 gm	\$80.00
021102S	APIGENIN with HPLC [520-36-5] (5,7,4'-Trihydroxyflavone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 355-358°C	10 mg	\$90.00
021004S	APIGENIN-7-O-GLUCOSIDE with HPLC [578-74-5] (Apigetrin, Cosmosiin) C ₂₁ H ₂₀ O ₁₀ MW: 432.38	10 mg	\$265.00
021003	APIIN [26544-34-3] (Apigenin-7-apioglucoside) C ₂₆ H ₂₈ O ₁₄ MW: 564.48 MP: 230-232°C	5 mg	\$136.00
B-101	BAICALEIN [491-67-8] (5,6,7-Trihydroxyflavone) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: 270-271°C	1 gm	\$120.00
B-251	BAICALEIN-5,6,7-TRIMETHYLETHER [973-67-1] (5,6,7-Trimethoxyflavone) C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 164-167°C	50 mg	\$49.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

06-012	BAICALIN [21967-41-9] (Scutellaria baicalensis; Baicalein 7-d-glucuronide; B-d-gluopyranosiduronic acid-5,6-dihydroxy-4-oxo-2-phenyl-4h-1-benzopyran-7-yl) C ₂₁ H ₁₈ O ₁₁ MW: 446.36 MP: 190°C (d)	5 gm	\$160.00
021280S	BAICALIN with HPLC [21967-41-9] (Baicalein-7-O-glucuronide) C ₂₁ H ₁₈ O ₁₁ MW: 446.36 MP: 225°C	10 mg	\$115.00
021104S	CHRYSOERIOL with HPLC [491-71-4] (4',5,7-Trihydroxy-3'-Methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: >300°C	5 mg	\$251.00
021281S	CUPRESSUFLAVONE with HPLC [3952-18-9] (4',4'',5,5'',7,7''-Hexahydroxy-8,8''-biflavone) C ₃₀ H ₁₈ O ₁₀ MW: 538.46 MP: >400°C	10 mg	\$382.00
021141S	DATISCETIN with HPLC [480-15-9] (3,5,7,2'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 275-278°C	10 mg	\$229.00
020086	DATISCIN [16310-92-2] (Datiscetin-3-O-rutinoside) C ₂₇ H ₃₀ O ₁₅ MW: 594.53	5 mg	\$241.00
020082	DIOSMETIN [520-34-3] (5,7,3'-Trihydroxy-4'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: 256-257°C	1 gm	\$180.00
021108S	DIOSMETIN with HPLC [520-34-3] (5,7,3'-Trihydroxy-4'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: 256-258°C	10 mg	\$95.00
020081	DIOSMIN [520-27-4] (Barosmin, Diosmetin-7-O-rutinoside) C ₂₈ H ₃₂ O ₁₅ MW: 608.55 MP: 277-278°C	10 gm	\$105.00
021109S	DIOSMIN with HPLC [520-27-4] (Barosmin, Diosmetin-7-O-rutinoside) C ₂₈ H ₃₂ O ₁₅ MW: 608.55 MP: 277-278°C	20 mg	\$215.00
F-002	FISETIN [528-48-3] (3,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >290°C	1 gm	\$60.00
021167S	FISETIN with HPLC [528-48-3] (3,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	10 mg	\$217.00
F-003	FLAVONE [525-82-6] (2-Phenylchromone) C ₁₅ H ₁₀ O ₂ MW: 222.24 MP: 91-97°C	25 gm	\$96.00
021330S	FLAVONOLS AGLYCONES KIT with HPLC (Includes 10 mg each of Galangin, Kaempferol, Quercetin, Myricetin and Isorhamnetin)	1 Kit	\$1,080.00
020067	GALANGIN [548-83-4] (3,5,7-Trihydroxyflavone, Norisalpinin) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 219-222°C	50 mg	\$125.00
021114S	GALANGIN with HPLC [548-83-4] (3,5,7-Trihydroxyflavone, Norisalpinin) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 216-220°C	10 mg	\$130.00
G-001	GARDENIN [21187-73-5] (5-Hydroxy-6,7,8,3',4',5'-hexamethoxyflavone) C ₂₁ H ₂₂ O ₉ MW: 418.39 MP: 162-163°C	50 mg	\$95.00
021168S	GERALDOL with HPLC [21511-25-1] (3,7,4'-Trihydroxy-3'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: >300°C	5 mg	\$259.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

G-500	GOSSYPETIN [489-35-0] (3,5,7,8,3',4'-Hexahydroxyflavone) C ₁₅ H ₁₀ O ₈ MW: 318.24 MP: 302-304°C	250 mg	\$56.00
021337S	GOSSYPETIN with HPLC [489-35-0] (3,5,7,8,3',4'-Hexahydroxyflavone) C ₁₅ H ₁₀ O ₈ MW: 318.24	5 mg	\$330.00
020935	GOSSYPETINIDIN CHLORIDE (3,5,7,8,3',4'-Hexahydroxyflavylium chloride) C ₁₅ H ₁₁ O ₇ Cl MW: 338.7	1 mg	\$241.00
G-002	GOSSYPIN [652-78-8] (3,3',4',5,7,8-Hexahydroxyflavone-8-glucoside) C ₂₁ H ₂₀ O ₁₃ MW: 480.38 MP: 210-217°C (dec)	500 mg	\$195.00
021343	HERBACETIN [527-95-7] (3,5,7,8,4'-Pentahydroxyflavone) C ₁₅ H ₁₀ O ₇ MW: 302.24	10 mg	\$227.00
22-412	HIBIFOLIN [55366-56-8] (Gossypetin-8-glucuronide, 3,3',4',5,7,8-Hexahydroxyflavone-8-glucuronide) C ₂₁ H ₁₈ O ₁₄ MW: 494.37	10 mg	\$60.00
021017	HINOKIFLAVONE [19202-36-9] (4',6"-Biapigenin) C ₃₀ H ₁₈ O ₁₀ MW: 538.47 MP: 353-355°C	10 mg	\$384.00
021055S	HOMOORIENTIN with HPLC [4261-42-1] (Isoorientin, Luteolin-6-C-glucoside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 245-246°C	5 mg	\$145.00
021027S	HYPEROSIDE with HPLC [482-36-0] (Hyperin, Quercetin-3-galactoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38 MP: 220-222°C	10 mg	\$125.00
021328	IPRIFLAVONE [35212-22-7] (7-Isopropoxyisoflavone) C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 115-117°C	500 mg	\$150.00
021120S	ISORHAMNETIN with HPLC [480-19-3] (3,5,7,4'-Tetrahydroxy-3'-methoxyflavone) C ₁₆ H ₁₂ O ₇ MW: 316.27 MP: 312°C	100 mg	\$595.00
021228	ISORHAMNETIN-3-O-GLUCOSIDE [5041-82-7] C ₂₂ H ₂₂ O ₁₂ MW: 478.40 MP: 155-160°C	10 mg	\$409.00
021333S	ISORHAMNETIN-3-O-RUTINOSIDE with HPLC [604-80-8] (Narcissin) C ₂₈ H ₃₂ O ₁₆ MW: 624.54 MP: 173-174°C	5 mg	\$165.00
021121S	ISORHOIFOLIN with HPLC [552-57-8] (Apigenin-7-O-rutinoside) C ₂₇ H ₃₀ O ₁₄ MW: 578.53 MP: 270-275°C	10 mg	\$368.00
021354	ISOSCHAFTOSIDE [52012-29-0] C ₂₆ H ₂₈ O ₁₄ MW: 564.5	10 mg	\$462.00
021235S	ISOVITEXIN with HPLC [29702-25-8] (Homovitexin; Saponaretin; Apigenin-6-C-glucoside) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 238-240°C	5 mg	\$205.00
K-101	KAEMPFERIDE [491-54-3] (3,5,7-Trihydroxy-4'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: 228-230°C	50 mg	\$95.00
021123S	KAEMPFERIDE with HPLC [491-54-3] (3,5,7-Trihydroxy-4'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: 228°C	10 mg	\$184.00
K-102	KAEMPFEROL [520-18-3] (3,5,7,4'-Tetrahydroxyflavone; Robigenin) C ₁₅ H ₁₀ O ₆ MW: 286.24 MP: 286-287°C	500 mg	\$265.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021124S	KAEMPFEROL with HPLC [520-18-3] (3,5,7,4'-Tetrahydroxyflavone; Robigenin) C ₁₅ H ₁₀ O ₆ MW: 286.24 MP: 275°C (d)	20 mg	\$155.00
021070	KAEMPFEROL-3,7,4'-TRIMETHYLETHER [15486-34-7] (5-Hydroxy-3,7,4'-trimethoxyflavone) C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 157-158°C	10 mg	\$266.00
021243S	KAEMPFEROL-3-O-GLUCOSIDE with HPLC [480-10-4] (Astragalin) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 223-225°C	5 mg	\$95.00
021356S	KAEMPFEROL-3-O-GLUCURONIDE with HPLC [22688-78-4] C ₂₁ H ₁₈ O ₁₂ MW: 462.37	5 mg	\$586.00
021053S	KAEMPFEROL-3-O-RUTINOSIDE with HPLC [17650-84-9] (Nicotiflorin) C ₂₇ H ₃₀ O ₁₅ MW: 594.53 MP: 200°C (d)	10 mg	\$416.00
021338	KAEMPFEROL-7-O-GLUCOSIDE [16290-07-6] (Populnin) C ₂₁ H ₂₀ O ₁₁ MW: 448.38	5 mg	\$256.00
021069	KAEMPFEROL-7-O-NEOHESPERIDOSIDE [17353-03-6] (Kaemperol-7-O-a-rhamnoside-D-glucoside) C ₂₇ H ₃₀ O ₁₅ MW: 594.53 MP: 255-257°C	10 mg	\$204.00
K-001	KARANJIN [521-88-0] C ₁₈ H ₁₂ O ₄ MW: 292.28 MP: 156-158°C	100 mg	\$80.00
021340S	LARICITRIN with HPLC [53472-37-0] (3,4',5',5,7-Pentahydroxy-3'-methoxyflavone) C ₁₆ H ₁₂ O ₈ MW: 332.27	5 mg	\$597.00
021169S	LINARIN with HPLC [480-36-4] (Acacetin-7-O-rutinoside, Acaciin) C ₂₈ H ₃₂ O ₁₄ MW: 592.55 MP: 258-260°C	5 mg	\$175.00
L-101	LUTEOLIN [491-70-3] (5,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >290°C	500 mg	\$96.00
021125S	LUTEOLIN with HPLC [491-70-3] (5,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	10 mg	\$125.00
021083	LUTEOLIN-4'-O-GLUCOSIDE [6920-38-3] C ₂₁ H ₂₀ O ₁₁ MW: 448.39 MP: 210°C	5 mg	\$252.00
020085S	LUTEOLIN-7,3'-DI-O-GLUCOSIDE with HPLC [52187-80-1] C ₂₇ H ₃₀ O ₁₆ MW: 610.53 MP: 220-250°C	5 mg	\$255.00
020053	LUTEOLIN-7-O-GLUCOSIDE [5373-11-5] (Luteoloside; Cynaroside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 241-249°C	250 mg	\$444.00
021126S	LUTEOLIN-7-O-GLUCOSIDE with HPLC [5373-11-5] (Luteoloside; Cynaroside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 247°C (d)	10 mg	\$150.00
020060S	MARITIMEIN with HPLC [490-54-0] (Maritimetin-6-O-glucoside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 205-211°C	5 mg	\$431.00
021344S	MORIN with HPLC [480-16-0] (3,5,7,2',4'-Pentahydroxyflavone) C ₁₅ H ₁₀ O ₇ MW: 302.24 MP: 290-292°C	20 mg	\$145.00
C-101	MYRICETIN [529-44-2] (3,5,7,3',4',5'-Hexahydroxyflavone, Cannabiscetin) C ₁₅ H ₁₀ O ₈ MW: 318.24 MP: >290°C	50 mg	\$55.00
021127S	MYRICETIN with HPLC [529-44-2] (3,5,7,3',4',5'-Hexahydroxyflavone, Cannabiscetin) C ₁₅ H ₁₀ O ₈ MW: 318.25 MP: 351°C	10 mg	\$175.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021355S	MYRICETIN-3-O-GALACTOSIDE with HPLC [15648-86-9] C ₂₁ H ₂₀ O ₁₃ MW: 480.38	5 mg	\$298.00
021357S	MYRICETIN-3-O-GLUCOSIDE with HPLC [19833-12-6] C ₂₁ H ₂₀ O ₁₃ MW: 480.38	5 mg	\$508.00
19-919	MYRICITRIN [17912-87-7] (Myricetin-3-O-rhamnoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38	250 mg	\$88.00
021029S	MYRICITRIN with HPLC [17912-87-7] (Myricetin-3-O-rhamnoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38 MP: 190-200°C	10 mg	\$165.00
021249	NEODIOSMIN [38665-01-9] (Diosmetin-7-O-neohesperidoside) C ₂₈ H ₃₂ O ₁₅ MW: 608.54	5 mg	\$259.00
021054S	ORIENTIN with HPLC [28608-75-5] (Luteolin-8-C-glucoside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 260-285°C	10 mg	\$198.00
021142S	PELTATOSIDE with HPLC [23284-18-6] (Quercetin-3-O-arabinoglucoside) C ₂₆ H ₂₈ O ₁₆ MW: 596.50 MP: 217°C (d)	10 mg	\$343.00
021030	QUERCETAGETIN [90-18-6] (3,5,6,7,3',4'-Hexahydroxyflavone) C ₁₅ H ₁₀ O ₈ MW: 318.25 MP: >300°C	5 mg	\$261.00
021341S	QUERCETAGETIN-7-O-GLUCOSIDE with HPLC [548-75-4] C ₂₁ H ₂₀ O ₁₃ MW: 480.38	5 mg	\$228.00
020950S	QUERCETAGETINIDIN CHLORIDE with HPLC [42529-06-6] (6-Hydroxycyanidin chloride) C ₁₅ H ₁₁ O ₇ Cl MW: 338.5	1 mg	\$236.00
P-102A	QUERCETIN anhydrous [117-39-5] (3,5,7,3',4'-Pentahydroxyflavone) C ₁₅ H ₁₀ O ₇ MW: 302.24	1 gm	\$115.00
021332S	QUERCETIN DERIVATIVES KIT (includes 10 mg each of Quercetin, Hyperoside, Quercetin-3-O-glucopyranoside and 25 mg of Rutin)	1 Kit	\$750.00
P-102	QUERCETIN dihydrate [6151-25-3] (3,5,7,3',4'-Pentahydroxyflavone) C ₁₅ H ₁₀ O ₇ · 2H ₂ O MW: 338.27 MP: 320°C	25 gm	\$70.00
021135S	QUERCETIN with HPLC [117-39-5] (3,5,7,3',4'-Pentahydroxyflavone) C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 305-312°C	10 mg	\$125.00
021347S	QUERCETIN-3,4'-di-O-GLUCOSIDE with HPLC [29125-80-2] C ₂₇ H ₃₀ O ₁₇ MW: 626.53	5 mg	\$389.00
021285	QUERCETIN-3,5,7,3',4'-PENTAMETHYLETHER [1247-97-8] (3,5,7,3',4'-Pentamethoxyflavone) C ₂₀ H ₂₀ O ₇ MW: 372.36 MP: 152-156°C	10 mg	\$188.00
021074	QUERCETIN-3,7,3',4'-TETRAMETHYLETHER [1245-15-4] (Retusin) C ₁₉ H ₁₈ O ₇ MW: 358.35	10 mg	\$217.00
020074	QUERCETIN-3-O-GLUCOPYRANOSIDE [482-35-9] (Isoquercetin) C ₂₁ H ₂₀ O ₁₂ MW: 464.38 MP: 213°C, dec	100 mg	\$95.00
021327S	QUERCETIN-3-O-GLUCOPYRANOSIDE with HPLC [482-35-9] (Isoquercetin) C ₂₁ H ₂₀ O ₁₂ MW: 464.38	20 mg	\$235.00
021099	QUERCETIN-3-O-GLUCOSE-6"-ACETATE [54542-51-7] C ₂₃ H ₂₂ O ₁₃ MW: 506.41	10 mg	\$279.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021315	QUERCETIN-3-O-GLUCURONIDE [22688-79-5] (Miquelianin) C ₂₁ H ₁₈ O ₁₃ MW: 478.37	5 mg	\$466.00
06-067	QUERCITRIN [522-12-3] (Quercetin-3-O-rhamnoside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 182-183°C	25 mg	\$90.00
021236S	QUERCITRIN with HPLC [522-12-3] (Quercetin-3-O-rhamnoside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 174-183°C	10 mg	\$165.00
021136S	RHAMNETIN with HPLC [90-19-7] (3,5,3',4'-Tetrahydroxy-7-methoxyflavone with HPLC) C ₁₆ H ₁₂ O ₇ MW: 316.27 MP: 290-296°C	10 mg	\$246.00
020079	RHOIFOLIN [17306-46-6] (Apigenin-7-O-neohesperidoside) C ₂₇ H ₃₀ O ₁₄ MW: 578.53 MP: ~245°C	250 mg	\$110.00
021137S	RHOIFOLIN with HPLC [17306-46-6] (Apigenin-7-O-neohesperidoside) C ₂₇ H ₃₀ O ₁₄ MW: 578.53 MP: 198°C	20 mg	\$255.00
021032	ROBININ [301-19-9] (Kaempferol-3-O-robinoside-7-O-rhamnoside) C ₃₃ H ₄₀ O ₁₉ MW: 740.65 MP: 207°C	5 mg	\$238.00
020080	RUTIN TRIHYDRATE [250249-75-3] (Quercetin-3-rutinoside, Vitamin P) C ₂₇ H ₃₀ O ₁₆ 3H ₂ O MW: 664.59 MP: 188-190°C	10 gm	\$81.00
021139S	RUTIN with HPLC [153-18-4] (Quercetin-3-O-rutinoside; Bioglavonoide; Melin) C ₂₇ H ₃₀ O ₁₆ MW: 610.52	25 mg	\$125.00
021238S	SAPONARIN with HPLC [20310-89-8] (Isovitexin-7-O-glucoside; Saponaretin-7-O-glucoside) C ₂₇ H ₃₀ O ₁₅ MW: 594.53 MP: 228°C	10 mg	\$416.00
021353S	SCHAFTOSIDE [51938-32-0] (Apigenin-6-C-beta-D-glucoside-8-C-alpha-L-arabinoside) C ₂₆ H ₂₈ O ₁₄ MW: 564.5	20 mg	\$395.00
021165	SCUTELLAREIN [529-53-3] (6-Hydroxyapigenin, 5,6,7,4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 330°C	10 mg	\$175.00
021278	SCUTELLAREIN TETRAMETHYLETHER [1168-42-9] (5,6,7,4'-Tetramethoxyflavone) C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 144-145°C	10 mg	\$319.00
021334S	SCUTELLAREIN with HPLC [529-53-3] (6-Hydroxyapigenin, 5,6,7,4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25	5 mg	\$125.00
021201	SPIRAEOSIDE [20229-56-5] (Spiraein, Quercetin-4'-O-glucoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38 MP: 210-213°C	10 mg	\$311.00
020088S	SULFURETIN with HPLC [120-05-8] (6,3',4'-Trihydroxyaurone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 295°C	5 mg	\$298.00
021246S	SYRINGETIN-3-O-GALACTOSIDE with HPLC [55025-56-4] C ₂₃ H ₂₄ O ₁₃ MW: 508.43 MP: 230-234°C	5 mg	\$370.00
021245S	SYRINGETIN-3-O-GLUCOSIDE with HPLC [40039-49-4] C ₂₃ H ₂₄ O ₁₃ MW: 508.43 MP: 250°C	5 mg	\$294.00
021140S	TAMARIXETIN with HPLC [603-61-2] (Quercetin-4'-methylether; 4'-Methoxy-3,5,7,3'-tetrahydroflavone) C ₁₆ H ₁₂ O ₇ MW: 316.28 MP: 264-269°C	10 mg	\$224.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

06-026	TANGERETIN, natural [481-53-8] (5,6,7,8,4'-Pentamethoxyflavone) C ₂₀ H ₂₀ O ₇ MW: 372.38	50 mg	\$245.00
021001S	TILIROSIDE with HPLC [20316-62-5] C ₃₀ H ₂₆ O ₁₃ MW: 594.53 MP: 257-260°C	10 mg	\$285.00
021232S	VITEXIN with HPLC [3681-93-4] (Apigenin-8-C-glucoside) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 256-257°C	5 mg	\$95.00
021006	VITEXIN-2''-O-RHAMNOSIDE [64820-99-1] (Apigenin-8-C-glucoside-2'-rhamnoside) C ₂₇ H ₃₀ O ₁₄ MW: 578.53 MP: 215°C	5 mg	\$125.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Isoflavones

CAT #	Product	QTY	Price
021268	(+/-)-EQUOL [531-95-3] (7,4'-Isoflavandiol, 7,4'-Dihydroxyisoflavan) C ₁₅ H ₁₄ O ₃ MW: 242.28 MP: 157-159°C	5 mg	\$195.00
19-761	2',6-DICHLORO-7-METHOXYISOFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.16 MP: 218.5-220.5°C	50 mg	\$95.00
19-607	2'-CHLORO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 172.3-174°C	50 mg	\$90.00
19-643	3',4',6-TRIMETHOXYISOFLAVONE-7-O-b-D-GLUCOPYRANOSIDE [59183-50-5] (Cladrastin-7-O-b-D-glucopyranoside) C ₂₄ H ₂₆ O ₁₁ MW: 490.47 MP: 231.5-233.3°C	25 mg	\$90.00
19-612	3',4'-DIMETHOXY-7-HYDROXYISOFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 260.5-263.5°C	50 mg	\$110.00
19-608	3'-CHLORO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 134.3-136.3°C	50 mg	\$90.00
19-640	4',6-DIMETHOXYISOFLAVONE-7-O-b-D-GLUCOPYRANOSIDE [19046-26-5] (Wistin) C ₂₃ H ₂₄ O ₁₀ MW: 460.44 MP: 218.5-222°C	25 mg	\$84.00
19-763	4',7-DIMETHOXY-8-METHYLISOFLAVONE C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 147.5-149.5°C	50 mg	\$95.00
19-659	4'-ACETOXY-7-HYDROXY-6-METHOXYISOFLAVONE C ₁₈ H ₁₄ O ₆ MW: 326.31 MP: 200.6-203°C	25 mg	\$60.00
19-604	4'-BROMO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ BrO ₄ MW: 361.19 MP: 204.2-205.8°C	50 mg	\$90.00
19-586	4'-CHLORO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 189.2-191.8°C	25 mg	\$76.00
19-810	4'-CHLORO-7-HYDROXY-8-METHYLISOFLAVONE C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: above 300°C	100 mg	\$90.00
19-811	4'-CHLORO-7-METHOXY-8-METHYLISOFLAVONE C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 180-182°C	100 mg	\$90.00
D-118	5,4'-DIHYDROXY-7-METHOXYISOFLAVONE [552-59-0] (Prunetin) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 239-242°C	10 mg	\$65.00
19-616	5,7,3',4'-TETRAMETHOXYISOFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 165.8-167.7°C	50 mg	\$110.00
19-599	5,7,4'-TRIMETHOXYISOFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 162.6-164.6°C	25 mg	\$98.00
CP-001	5-METHYL-7-METHOXYISOFLAVONE [82517-12-2] C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 117-121°C	10 mg	\$95.00
19-626	6,4'-DIMETHOXY-7-HYDROXYISOFLAVONE [550-79-8] C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 232-234°C	25 mg	\$90.00
19-638	6,7,3',4'-TETRAMETHOXYISOFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 187.7-190°C	25 mg	\$70.00
T-116	6,7,4'-TRIHYDROXYISOFLAVONE [17817-31-1] (Demethyltexasin) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: ~330°C	10 mg	\$195.00
T-124	6,7,4'-TRIMETHOXYISOFLAVONE [798-61-8] C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 180.3-182.3°C	25 mg	\$130.00
19-634	6,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 169.5-171.8°C	25 mg	\$70.00
19-759	6-CHLORO-4',7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 216.2-218.2°C	50 mg	\$95.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-266	6-CHLORO-7-METHYLISOFLAVONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 185.8-188.2°C	100 mg	\$98.00
T-415	7,3',4'-TRIHYROXYISOFLAVONE [485-63-2] (3'-Hydroxydaidzein) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: 278-281°C	500 mg	\$195.00
19-617	7,3',4'-TRIMETHOXYISOFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 160.5-162.5°C	50 mg	\$110.00
021298	7,4'-DIMETHOXY-5-HYDROXYISOFLAVONE [34086-51-6] (Genistein-7,4'-dimethylether) C ₁₇ H ₁₄ O ₅ MW: 298.3 MP: 145.5°C	10 mg	\$127.00
021299	7,4'-DIMETHOXYISOFLAVONE [1157-39-7] C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 161-163.7°C	10 mg	\$125.00
19-872	7,8,4'-TRIHYROXYISOFLAVONE [75187-63-2] (7,8-Dihydroxy-3-(4-hydroxyphenyl)chromen-4-one) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: >300°C	10 mg	\$95.00
19-883	7,8,4'-TRIMETHOXYISOFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 152-154°C	10 mg	\$90.00
19-767	7-HYDROXY-4'-METHOXY-8-METHYLISOFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.3 MP: 274.6-277°C	250 mg	\$64.00
19-635	7-HYDROXY-6-METHOXYISOFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 236-239°C	25 mg	\$68.00
19-782	7-HYDROXY-8-METHYLISOFLAVONE C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 240-243°C	50 mg	\$70.00
19-593	7-HYDROXYISOFLAVONE [13057-72-2] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 212.3-215.3°C	50 mg	\$86.00
19-783	7-METHOXY-8-METHYLISOFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.3 MP: 135-136.7°C	50 mg	\$70.00
19-596	7-METHOXYISOFLAVONE [1621-56-3] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 156.6-158.8°C	25 mg	\$116.00
19-312	7-METHYL-2',4'-6-TRICHLOROISOFLAVONE C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 223.3-224.5°C	250 mg	\$60.00
B-106	BIOCHANIN A [491-80-5] (5,7-Dihydroxy-4'-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 210-213°C	250 mg	\$108.00
021349S	BIOCHANIN A with HPLC [491-80-5] (5,7-Dihydroxy-4'-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27	20 mg	\$105.00
D-101	DAIDZEIN [486-66-8] (7,4'-Dihydroxyisoflavone; 7-hydroxy-3-(4-hydroxyphenyl)-4h-1-benzopyran-4-one) C ₁₅ H ₁₀ O ₄ MW: 254.24 MP: 330-331°C	500 mg	\$120.00
021319	DAIDZEIN-7-O-GLUCURONIDE [38482-80-3] C ₂₁ H ₁₈ O ₁₀ MW: 430.37	5 mg	\$409.00
021096	DAIDZIN [552-66-9] (Daidzein-7-O-glucoside, 7-Glucocosyl-4'-hydroxyisoflavone) C ₂₁ H ₂₀ O ₉ MW: 416.37 MP: 230-238°C	5 mg	\$98.00
F-103	FORMONONETIN [485-72-3] (7-Hydroxy-4'-methoxyisoflavone, Biochanin B) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-259°C	250 mg	\$120.00
021248S	FORMONONETIN with HPLC [485-72-3] (7-Hydroxy-4'-methoxyisoflavone, Biochanin B) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-259°C	5 mg	\$95.00
F-103N	FORMONONETIN, natural [485-72-3] (7-Hydroxy-4'-methoxyisoflavone, Biochanin B) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-259°C	25 mg	\$75.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

G-103	GENISTEIN [446-72-0] (5,7,4'-Trihydroxyisoflavone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: ~306-308°C	500 mg	\$154.00
021350	GENISTEIN-7-O-GLUCURONIDE [38482-81-4] C ₂₁ H ₁₈ O ₁₁ MW: 446.37	5 mg	\$456.00
021050N	GENISTIN [529-59-9] (Glucosyl-7-genistein, 7-O-b-D-glucopyranosyl genistein) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 256-257°C	5 mg	\$126.00
021325S	GENISTIN with HPLC [529-59-9] (Genistein-7-O-glucoside) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 254°C	20 mg	\$120.00
021352	GLABRIDIN [59870-68-7] C ₂₀ H ₂₀ O ₄ MW: 324.38	20 mg	\$240.00
GL-001	GLYCITEIN [40957-83-3] (7,4'-Dihydroxy-6-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: >330°C	10 mg	\$100.00
GL-001N	GLYCITEIN [40957-83-3] (7,4'-Dihydroxy-6-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: >330°C	10 mg	\$180.00
GL-002	GLYCITIN [40246-10-4] (7,4'-Dihydroxy-6-methoxyisoflavone-7-D-glucoside) C ₂₂ H ₂₂ O ₁₀ MW: 446.41 MP: 216-218°C	10 mg	\$125.00
GL-002N	GLYCITIN [40246-10-4] (7,4'-Dihydroxy-6-methoxyisoflavone-7-D-glucoside) C ₂₂ H ₂₂ O ₁₀ MW: 446.41 MP: 207-209°C	10 mg	\$145.00
19-637	ISOFLAVONE C ₁₅ H ₁₀ O ₂ MW: 222.25 MP: 132.5-133.5°C	500 mg	\$70.00
19-641	ISOFLAVONE-7-O-b-D-GLUCOPYRANOSIDE () C ₂₁ H ₂₀ O ₈ MW: 400.39 MP: 236-238°C	25 mg	\$88.00
19-642	ONONIN [486-62-4] (4'-Methoxyisoflavone-7-O-b-D-glucopyranoside; Formononetin-7-O-b-D-glucopyranoside) C ₂₂ H ₂₂ O ₉ MW: 430.4 MP: 216.3-218.8°C	25 mg	\$86.00
021241S	ONONIN with HPLC [486-62-4] (Formononetin-7-O-glucoside; 4',7-Dihydroxy-7-O-glucosylisoflavone) C ₂₂ H ₂₂ O ₉ MW: 430.4 MP: 217-219°C	5 mg	\$212.00
06-001	PUERARIN [3681-99-0] (Daidzein-8-C-glucoside; 7,4'-Dihydroxy-8-C-glucosylisoflavone) C ₂₁ H ₂₀ O ₉ MW: 416.38 MP: 207-209.5°C	250 mg	\$90.00
021233S	PUERARIN with HPLC [3681-99-0] (Daidzein-8-C-glucoside; 7,4'-Dihydroxy-8-C-glucosylisoflavone) C ₂₁ H ₂₀ O ₉ MW: 416.38 MP: 191-193°C dec	10 mg	\$150.00
021244S	SISSOTRIN with HPLC [5928-26-7] (Biochanin A-7-O-glucoside) C ₂₂ H ₂₂ O ₁₀ MW: 446.40 MP: 218-221°C	5 mg	\$321.00

